

Package ‘lifecontingencies’

September 18, 2025

Type Package

Title Financial and Actuarial Mathematics for Life Contingencies

Version 1.4.3

Maintainer Giorgio Alfredo Spedicato <spedicato_giorgio@yahoo.it>

Description Classes and methods that allow the user to manage life table, actuarial tables (also multiple decrements tables). Moreover, functions to easily perform demographic, financial and actuarial mathematics on life contingencies insurances calculations are contained therein. See Spedicato (2013) <[doi:10.18637/jss.v055.i10](https://doi.org/10.18637/jss.v055.i10)>.

Depends R (>= 4.1.0), methods

Imports parallel, utils, markovchain, Rcpp (>= 1.0.0), stats

Suggests demography, forecast, testthat, knitr, formatR, StMoMo, rmarkdown

License MIT + file LICENSE

Encoding UTF-8

LazyLoad yes

LazyData true

BugReports <https://github.com/spedygiorgio/lifecontingencies/issues>

BuildVignettes yes

VignetteBuilder utils, knitr

URL <https://github.com/spedygiorgio/lifecontingencies>

LinkingTo Rcpp

RoxygenNote 7.3.3

NeedsCompilation yes

Author Giorgio Alfredo Spedicato [aut, cre] (ORCID: <<https://orcid.org/0000-0002-0315-8888>>),
Christophe Dutang [ctb] (ORCID: <<https://orcid.org/0000-0001-6732-1501>>),
Reinhold Kainhofer [ctb] (ORCID: <<https://orcid.org/0000-0002-7895-1311>>),

Kevin J Owens [ctb],
 Ernesto Schirmacher [ctb],
 Gian Paolo Clemente [ctb] (ORCID:
<https://orcid.org/0000-0001-6795-4595>),
 Ivan Williams [ctb]

Repository CRAN

Date/Publication 2025-09-18 18:30:02 UTC

Contents

lifecontingencies-package	3
accumulatedValue	5
actuarialtable-class	6
annuity	7
arithmetic_variation_insurances	8
Axn.mdt	11
axyn	12
Axyzn	14
decreasingAnnuity	15
demoCanada	16
demoChina	17
demoFrance	18
demoGermany	19
demoIta	20
demoJapan	21
demoUk	22
demoUsa	23
de_angelis_di_falco	23
duration	24
endowment_trio	25
exn	28
getDecrements	29
getLifecontingencyPv	30
getOmega	31
Iaxn	32
increasingAnnuity	34
intensity2Interest	35
interest2Discount	36
Isn	37
lifetable-class	38
Lxt	39
mdt-class	40
multiple life probabilities	42
mx2qx	43
mxt	44
nominal2Real	45
presentValue	46

probs2lifetable	47
pxt	48
pxyt	50
qx2mx	51
qxt.prime.fromMdt	52
rLifeContingencies	53
rLifes	55
rmdt	56
soa08	57
soa08Act	58
SoAISTdata	59
soaLt	60
Uk life tables	61
Index	62

lifecontingencies-package

Package to perform actuarial mathematics on life contingencies and classical financial mathematics calculations.

Description

The lifecontingencies package performs standard financial, demographic and actuarial mathematics calculation. The main purpose of the package is to provide a comprehensive set of tools to perform risk assessment of life contingent insurances.

Details

Some functions have been powered by Rcpp code.

Warning

This package and functions herein are provided as is, without any guarantee regarding the accuracy of calculations. The author disclaims any liability arising by any losses due to direct or indirect use of this package.

Note

Work in progress.

Author(s)

Giorgio Alfredo Spedicato with contributions from Reinhold Kainhofer and Kevin J. Owens Maintainer: <spedicato_giorgio@yahoo.it>

References

The lifecontingencies Package: Performing Financial and Actuarial Mathematics Calculations in R, Giorgio Alfredo Spedicato, Journal of Statistical Software, 2013,55 , 10, 1-36

See Also

[accumulatedValue](#), [annuity](#)

Examples

```
##financial mathematics example

#calculates monthly installment of a loan of 100,000,
#interest rate 0.05

i=0.05
monthlyInt=(1+i)^(1/12)-1
Capital=100000
#Monthly installment

R=1/12*Capital/annuity(i=i, n=10,k=12, type = "immediate")
R
balance=numeric(10*12+1)
capitals=numeric(10*12+1)
interests=numeric(10*12+1)
balance[1]=Capital
interests[1]=0
capitals[1]=0

for(i in (2:121)) {
balance[i]=balance[i-1]*(1+monthlyInt)-R
interests[i]=balance[i-1]*monthlyInt
capitals[i]=R-interests[i]
}
loanSummary=data.frame(rate=c(0, rep(R,10*12)),
balance, interests, capitals)

head(loanSummary)

tail(loanSummary)

##actuarial mathematics example

#APV of an annuity

data(sofar)
sofarAct=with(sofar, new("actuarialtable", interest=0.06,
x=x, lx=Ix, name="SOA2008"))
#evaluate and life-long annuity for an aged 65
axn(sofarAct, x=65)
```

accumulatedValue *Function to evaluate the accumulated value.*

Description

This functions returns the value at time n of a series of equally spaced payments of 1.

Usage

```
accumulatedValue(i, n,m=0, k,type = "immediate")
```

Arguments

i	Effective interest rate expressed in decimal form. E.g. 0.03 means 3%.
n	Number of terms of payment.
m	Deferring period, whose default value is zero.
k	Frequency of payment.
type	The Payment type, either "advance" for the annuity due (default) or "arrear" for the annuity immediate. Alternatively, one can use "due" or "immediate" respectively (can be abbreviated).

Details

The accumulated value is the future value of the terms of an annuity. Its mathematical expression is $s_{\overline{n}|} = (1 + i)^n a_{\overline{n}|}$

Value

A numeric value representing the calculated accumulated value.

Warning

The function is provided as is, without any guarantee regarding the accuracy of calculation. We disclaim any liability for eventual losses arising from direct or indirect use of this software.

Note

Accumulated value are derived from annuities by the following basic equation $s_{\overline{n}|} = (1 + i)^n a_{\overline{n}|}$.

Author(s)

Giorgio A. Spedicato

References

Broverman, S.A., Mathematics of Investment and Credit (Fourth Edition), 2008, ACTEX Publications.

See Also[annuity](#)**Examples**

```
#A man wants to save 100,000 to pay for his sons
#education in 10 years time. An education fund requires the investors to
#deposit equal installments annually at the end of each year. If interest of
#0.075 is paid, how much does the man need to save each year in order to
#meet his target?
R=100000/accumulatedValue(i=0.075,n=10)
```

actuarialtable-class *Class "actuarialtable"*

Description

Objects of class "actuarialtable" inherit the structure of class "lifetable" adding just the slot for interest rate, interest.

Objects from the Class

Objects can be created by calls of the form `new("actuarialtable", ...)`. Creation is the same as lifetable objects creation, the slot for interest must be added too.

Slots

interest: Object of class "numeric" slot for interest rate, e.g. 0.03

x: Object of class "numeric" age slot

lx: Object of class "numeric" subjects at risk at age x

name: Object of class "character" name of the actuarial table

Extends

Class "[lifetable](#)", directly.

Methods

coerce signature(from = "actuarialtable", to = "data.frame"): moves from actuarialtable to data.frame

coerce signature(from = "actuarialtable", to = "numeric"): coerce from actuarialtable to a numeric

getOmega signature(object = "actuarialtable"): as for lifetable

print signature(x = "actuarialtable"): tabulates the actuarial commutation functions

show signature(object = "actuarialtable"): show method

summary signature(object = "actuarialtable"): prints brief summary

Warning

The function is provided as is, without any warranty regarding the accuracy of calculations. The author disclaims any liability for eventual losses arising from direct or indirect use of this software.

Note

The interest slot will handle time-varying interest rates in the future.

Author(s)

Giorgio A. Spedicato

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[axn,lifetable](#)

Examples

```
showClass("actuarialtable")
```

annuity	<i>Annuity function</i>
---------	-------------------------

Description

Function to calculate present value of annuities-certain.

Usage

```
annuity(i, n, m = 0, k = 1, type = "immediate")
```

Arguments

i	Effective interest rate expressed in decimal form. E.g. 0.03 means 3%. It can be a vector of interest rates of the same length of periods.
n	Periods for payments. If $n = \text{infinity}$ then annuity returns the value of a perpetuity (either immediate or due).
m	Deferring period, whose default value is zero.
k	Yearly payments frequency. A payment of k^{-1} is supposed to be performed at the end of each year.
type	The Payment type, either "advance" for the annuity due (default) or "arrear" for the annuity immediate. Alternatively, one can use "due" or "immediate" respectively (can be abbreviated).

Details

This function calculates the present value of a stream of fixed payments separated by equal interval of time. Annuity immediate has the first payment at time $t = 0$, while an annuity due has the first payment at time $t = 1$.

Value

A string, either "immediate" or "due".

Note

The value returned by annuity function derives from direct calculation of the discounted cash flow and not from formulas, like $a^{(m)}_{\overline{n}|} = \frac{1-v^n}{i^{(m)}}$. When m is greater than 1, the payment per period is assumed to be $\frac{1}{m}$.

Author(s)

Giorgio A. Spedicato

References

Broverman, S.A., Mathematics of Investment and Credit (Fourth Edition), 2008, ACTEX Publications.

See Also

[accumulatedValue](#)

Examples

```
# The present value of 5 payments of 1000 at one year interval that begins
# now when the interest rate is 2.5% is
1000 * annuity(i = 0.025, n = 5, type = "due")
# A man borrows a loan of 20,000 to purchase a car at
# a nominal annual rate of interest of 0.06. He will pay back the loan through monthly
# installments over 5 years, with the first installment to be made one month
# after the release of the loan. What is the monthly installment he needs to pay?
20000 / annuity(i = 0.06 / 12, n = 5 * 12)
```

arithmetic_variation_insurances

Life insurance with arithmetic-variation benefit (increasing/decreasing, fractional claims)

Description

This help page groups two term life insurances with **arithmetic variation** of the benefit, both with optional deferment m and k fractional claim times (claims at end of subperiods):

- **IAxn**: *increasing* arithmetic term insurance (benefit grows linearly with time);
- **DAXn**: *decreasing* arithmetic term insurance (benefit declines linearly with time).

Usage

```
IAxn(
  actuarialtable,
  x,
  n,
  i = actuarialtable@interest,
  m = 0,
  k = 1,
  type = "EV",
  power = 1
)
```

```
DAXn(
  actuarialtable,
  x,
  n,
  i = actuarialtable@interest,
  m = 0,
  k = 1,
  type = "EV",
  power = 1
)
```

Arguments

actuarialtable	A lifetable or actuarialtable object.
x	Attained age at inception.
n	Coverage length in years. If missing, it is set to $\text{getOmega}(\text{actuarialtable}) - x - m$.
i	Annual effective interest rate. Defaults to $\text{actuarialtable@interest}$.
m	Deferment (years). Default 0.
k	Fractional periods per year ($k \geq 1$). Default 1.
type	Output type: "EV" (expected value, default) or "ST" (one stochastic realization via <code>rLifeContingencies</code>).
power	Power applied to discounted cash flows before expectation (default 1).

Details

Let $t_j = m + (j - 1)/k, j = 1, \dots, nk$. With ****fractional claims at end of subperiods****, the EV implementations follow the pattern already used in [Axn](#):

IAxn (increasing):

$$IA_{\overline{n}|}^{(k)} = \sum_{j=1}^{nk} \left(\frac{j}{k}\right) v^{t_j+1/k} {}_{t_j}p_x q_{x+t_j}^{(1/k)},$$

where $v = (1 + i)^{-1}$, computed via `pxt(...)` and `qxt(..., t=1/k)`.

DAxn (decreasing) is analogous with benefit $(n - (j - 1)/k)$; see its subsection below.

DAxn (decreasing):

$$DA_{\overline{n}|}^{(k)} = \sum_{j=1}^{nk} \left(n - \frac{j-1}{k}\right) v^{t_j+1/k} {}_{t_j}p_x q_{x+t_j}^{(1/k)}, \quad t_j = m + \frac{j-1}{k}.$$

See “Fractional timing conventions” above for claim timing assumptions.

Value

A numeric value: the APV (or one simulated realization if `type="ST"`).

IAxn — Increasing arithmetic term

Computes the APV of an n -year ****increasing**** term insurance on a life aged x , with k fractional claim times and optional deferment m . The benefit at the j -th subperiod equals j/k .

Fractional timing conventions

For ****insurance**** benefits in this package, fractional claims are assumed to occur at the ****end**** of each subperiod (i.e., at $t_j + 1/k$). This matches the implementation that multiplies survival to t_j and a fractional death probability over the next subperiod:

$$v^{t_j+1/k} {}_{t_j}p_x q_{x+t_j}^{(1/k)}.$$

By contrast, ****annuities**** use a payment-timing flag (“immediate” vs “due”) which changes the evaluation times; insurance here has a fixed claim timing at end-subperiod.

DAxn — Decreasing arithmetic term

Computes the APV of an n -year ****decreasing**** term insurance on a life aged x , with k fractional claim times and optional deferment m . The benefit at the j -th subperiod equals $n - (j - 1)/k$.

References

Bowers, N. L., Gerber, H. U., Hickman, J. C., Jones, D. A., Nesbitt, C. J. (1997). *Actuarial Mathematics*, 2nd ed., SOA.

See Also

[Axn](#) (level benefit), [AExn](#), [Exn](#), [axn](#)

Other life-contingency APVs: [endowment_trio](#)

Examples

```
## Setup (legacy examples)
data(sofar)
sofarAct <- with(sofar, new("actuarialtable", interest=0.06, x=x, lx=Ix, name="SOA2008"))

## IAxn: increasing arithmetic term, 10 years, age 25 (legacy)
IAxn(actuarialtable = sofarAct, x = 25, n = 10)

## More examples (k>1 and deferment)
IAxn(actuarialtable = sofarAct, x = 40, n = 20, k = 12)      # monthly claims
IAxn(actuarialtable = sofarAct, x = 40, n = 15, m = 5, k = 4) # deferred 5y, quarterly

## DAxn: decreasing arithmetic term, 10 years, age 25 (legacy)
DAxn(actuarialtable = sofarAct, x = 25, n = 10)
## More examples (k>1 and deferment)
DAxn(actuarialtable = sofarAct, x = 45, n = 10, k = 2)      # semiannual
DAxn(actuarialtable = sofarAct, x = 45, n = 12, m = 3, k = 12) # deferred 3y, monthly
```

Axn.mdt

Multiple decrement life insurance

Description

Function to evaluate multiple decrement insurances

Usage

```
Axn.mdt(object, x, n, i, decrement)
```

Arguments

object	an mdt or actuarialtable object
x	policyholder's age
n	contract duration
i	interest rate
decrement	decrement category

Value

The scalar representing APV of the insurance

Warning

The function is experimental and very basic. Testing is still needed. Use at own risk!

Examples

```
#creates a temporary mdt
myTable<-data.frame(x=41:43,lx=c(800,776,752),d1=rep(8,3),d2=rep(16,3))
myMdt<-new("mdt",table=myTable,name="ciao")
Axn.mdt(myMdt, x=41,n=2,i=.05,decrement="d2")
```

 axyn

Functions to evaluate life insurance and annuities on two heads.

Description

These functions evaluates life insurances and annuities on two heads.

Usage

```
axyn(tablex, tabley, x, y, n, i, m, k = 1, status = "joint", type = "EV",
      payment="advance")
Axyn(tablex, x, tabley, y, n, i, m, k = 1, status = "joint", type = "EV")
```

Arguments

tablex	Life X lifetable object.
tabley	Life Y lifetable object.
x	Age of life X.
y	Age of life Y.
n	Insured duration. Infinity if missing.
i	Interest rate. Default value is those implied in actuarialtable.
m	Deferring period. Default value is zero.
k	Fractional payments or periods where insurance is payable.
status	Either "joint" for the joint-life status model or "last" for the last-survivor status model (can be abbreviated).
type	A string, either "EV" for expected value of the actuarial present value (default) or "ST" for one stochastic realization of the underlying present value of benefits. Alternatively, one can use "expected" or "stochastic" respectively (can be abbreviated).
payment	The Payment type, either "advance" for the annuity due (default) or "arrear" for the annuity immediate. Alternatively, one can use "due" or "immediate" respectively (can be abbreviated).

Details

Actuarial mathematics book formulas has been implemented.

Value

A numeric value returning APV of chosen insurance form.

Warning

The function is provided as is, without any warranty regarding the accuracy of calculations. The author disclaims any liability for eventual losses arising from direct or indirect use of this software.

Note

Deprecated functions. Use Axyzn and axyzn instead.

Author(s)

Giorgio A. Spedicato

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[pxyt](#)

Examples

```
## Not run:
data(soa08Act)
#last survival status annuity
axyn(tablex=soa08Act, tabley=soa08Act, x=65, y=70,
      n=5, status = "last", type = "EV")
      #first survival status annuity
Axyzn(tablex=soa08Act, tabley=soa08Act, x=65, y=70,
      status = "last", type = "EV")

## End(Not run)
```

Description

Function to evaluate the multiple lives insurances and annuities

Usage

```
Axyzn(tablesList, x, n, i, m, k = 1, status = "joint", type = "EV",
power=1)
axyzn(tablesList, x, n, i, m, k = 1, status = "joint", type = "EV",
power=1, payment="advance")
```

Arguments

tablesList	A list whose elements are either lifetable or actuarialtable class objects.
x	A vector of the same size of tableList that contains the initial ages.
n	Length of the insurance.
i	Interest rate
m	Deferring period.
k	Fractional payment frequency.
status	Either "joint" for the joint-life status model or "last" for the last-survivor status model (can be abbreviated).
type	A string, either "EV" for expected value of the actuarial present value (default) or "ST" for one stochastic realization of the underlying present value of benefits. Alternatively, one can use "expected" or "stochastic" respectively (can be abbreviated).
power	The power of the APV. Default is 1 (mean).
payment	The Payment type, either "advance" for the annuity due (default) or "arrear" for the annuity immediate. Alternatively, one can use "due" or "immediate" respectively (can be abbreviated).

Details

In theory, these functions apply the same concept of life insurances on one head on multiple heads.

Value

The insurance value is returned.

Note

These functions are the more general version of [axyzn](#) and [Axyn](#).

Author(s)

Giorgio Alfredo Spedicato, Kevin J. Owens.

References

Broverman, S.A., Mathematics of Investment and Credit (Fourth Edition), 2008, ACTEX Publications.

See Also

[axyn](#), [Axyn](#).

Examples

```
data(sofar)
sofarAct=with(sofar, new("actuarialtable", interest=0.06,
x=x, lx=Ix, name="SOA2008"))
#evaluate and life-long annuity for an aged 65
listOfTables=list(sofarAct, sofarAct)
#Check actuarial equality
axyzn(listOfTables, x=c(60, 70), status="last")
axn(listOfTables[[1]], 60)+axn(listOfTables[[2]], 70)-
axyzn(listOfTables, x=c(60, 70), status="joint")
```

decreasingAnnuity *Function to evaluate decreasing annuities.*

Description

This function return present values for decreasing annuities - certain.

Usage

```
decreasingAnnuity(i, n, type="immediate")
```

Arguments

i	A numeric value representing the interest rate.
n	The number of periods.
type	The Payment type, either "advance" for the annuity due (default) or "arrear" for the annuity immediate. Alternatively, one can use "due" or "immediate" respectively (can be abbreviated).

Details

A decreasing annuity has the following flows of payments: $n, n-1, n-2, \dots, 1, 0$.

Value

A numeric value reporting the present value of the decreasing cash flows.

Warning

The function is provided as is, without any guarantee regarding the accuracy of calculation. The author disclaims any liability for eventual losses arising from direct or indirect use of this software.

Note

This function calls presentValue function internally.

Author(s)

Giorgio A. Spedicato

References

Broverman, S.A., Mathematics of Investment and Credit (Fourth Edition), 2008, ACTEX Publications.

See Also

[annuity,increasingAnnuity,DAXn](#)

Examples

```
#the present value of 10, 9, 8, ..., 0 payable at the end of the period
#for 10 years is
decreasingAnnuity(i=0.03, n=10)
#assuming a 3% interest rate
#should be
sum((10:1)/(1+.03)^(1:10))
```

demoCanada

Canada Mortality Rates for UP94 Series

Description

UP94 life tables underlying mortality rates

Usage

```
data(demoCanada)
```

Format

A data frame with 120 observations on the following 7 variables.

```
x age
up94M UP 94, males
up94F UP 94, females
up942015M UP 94 projected to 2015, males
up942015f UP 94 projected to 2015, females
up942020M UP 94 projected to 2020, males
up942020F UP 94 projected to 2020, females
```

Details

Mortality rates are provided.

Source

Courtesy of Andrew Botros

References

Courtesy of Andrew Botros

Examples

```
data(demoCanada)
head(demoCanada)
#create the up94M life table
up94MLt<-probs2lifetable(probs=demoCanada$up94M, radix=100000, "qx", name="UP94")
#create the up94M actuarial table table
up94MAct<-new("actuarialtable", lx=up94MLt@lx, x=up94MLt@x, interest=0.02)
```

demoChina

China Mortality Rates for life table construction

Description

Seven yearly mortality rates for each age

Usage

```
data(demoChina)
```

Format

A data frame with 106 observations on the following 8 variables.

age Attained age

CL1 CL1 rates

CL2 CL2 rates

CL3 CL3 rates

CL4 CL4 rates

CL5 CL5 rates

CL6 CL6 rates

CL90-93 CL 90-93 rates

Details

See the source link for details.

Source

Society of Actuaries

References

<https://mort.soa.org/>

Examples

```
data(demoChina)
tableChinaCL1<-probs2lifetable(probs=demoChina$CL1,radix=1000,type="qx",name="CHINA CL1")
```

demoFrance

French population life tables

Description

Illustrative life tables from French population.

Usage

```
data(demoFrance)
```

Format

A data frame with 113 observations on the following 5 variables.

age Attained age

TH00_02 Male 2000 life table

TF00_02 Female 2000 life table

TD88_90 1988 1990 life table

TV88_90 1988 1990 life table

Details

These tables are real French population life tables. They regard 88 - 90 and 00 - 02 experience.

Source

Actuaris - Winter Associates

Examples

```
data(demoFrance)
head(demoFrance)
```

demoGermany	<i>German population life tables</i>
-------------	--------------------------------------

Description

Dataset containing mortality rates for German population, male and females.

Usage

```
data(demoGermany)
```

Format

A data frame with 113 observations on the following 5 variables.

x Attained age

qxMale Male mortality rate

qxFemale Female mortality rate

Details

Sterbetafel DAV 1994

Source

Private communication

Examples

```
data(demoGermany)
head(demoGermany)
```

demoIta

Italian population life tables for males and females

Description

This dataset reports five pairs of Italian population life tables. These table can be used to create life table objects and actuarial tables object.

Usage

```
data(demoIta)
```

Format

A data frame with 121 observations on the following 9 variables.

X a numeric vector, representing ages from 0 to ω .

SIM02 a numeric vector, 2002 cross section general population males life table

SIF02 a numeric vector, 2002 cross section general population females life table

SIM00 a numeric vector, 2000 cross section general population males life table

SIF00 a numeric vector, 2000 cross section general population females life table

SIM92 a numeric vector, 1992 cross section general population males life table

SIF92 a numeric vector, 1992 cross section general population females life table

SIM81 a numeric vector, 1981 cross sectional general population males life table

SIF81 a numeric vector, 1981 cross sectional general population females life table

SIM61 a numeric vector, 1961 cross sectional general population males life table

SIF61 a numeric vector, 1961 cross sectional general population females life table

RG48M a numeric vector, RG48 projected males life table

RG48F a numeric vector, RG48 projected females life table

IPS55M a numeric vector, IPS55 projected males life table

IPS55F a numeric vector, IPS55 projected females life table

SIM71 a numeric vector, 1971 cross sectional general population males life table

SIM51 a numeric vector, 1951 cross sectional general population males life table

SIM31 a numeric vector, 1931 cross sectional general population males life table

Details

These table contains the vectors of survival at the beginning of life years and are the building block of both `lifetable` and `actuarialtable` classes.

Source

These tables comes from Italian national statistical bureau (ISTAT) for SI series, government Ministry of Economics (Ragioneria Generale dello Stato) for RG48 or from Insurers' industrial association IPS55. RG48 represents the projected survival table for the 1948 born cohort, while IPS55 represents the projected survival table for the 1955 born cohort.

References

ISTAT, IVASS, Ordine Nazionale Attuari

Examples

```
#load and show
data(demoIta)
head(demoIta)
#create sim92 life and actuarial table
lxsim92<-demoIta$SIM92

lxsim92<-lxsim92[!is.na(lxsim92) & lxsim92!=0]
xsim92<-seq(0,length(lxsim92)-1,1)
#create the table
sim92lt=new("lifetable",x=xsim92,lx=lxsim92,name="SIM92")
plot(sim92lt)
```

demoJapan

Japan Mortality Rates for life table construction

Description

Two yearly mortality rates for each age

Usage

```
data(demoJapan)
```

Format

A data frame with 110 observations on the following 3 variables.

JP8587M Male life table

JP8587F Female life table

age Attained age

Details

Downloaded in 2012 from Society of Actuaries (SOA) mortality table web site

Source

SOA mortality web site

Examples

```
data(demoJapan)
head(demoJapan)
```

demoUk	<i>UK life tables</i>
--------	-----------------------

Description

AM and AF one year mortality rate. Series of 1992

Usage

```
data(demoUk)
```

Format

A data frame with 74 observations on the following 3 variables:

Age Annuitant age

AM92 One year mortality rate (males)

AF92 One year mortality rate (males)

Details

This data set shows the one year survival rates for males and females of the 1992 series. It has been taken from the Institute of Actuaries. The series cannot be directly used to create a life table since neither rates are not provided for ages below 16 nor for ages over 90. Various approach can be used to complete the series.

Source

Institute of Actuaries

References

<https://www.actuaries.org.uk/learn-and-develop/continuous-mortality-investigation/cmi-mortality-and-morbidity-tables/92-series-tables>

Examples

```
data(demoUk)
head(demoUk)
```

demoUsa	<i>United States Social Security life tables</i>
---------	--

Description

This data set contains period life tables for years 1990, 2000 and 2007. Both males and females life tables are reported.

Usage

```
demoUsa
```

Format

A data.frame containing people surviving at the beginning of "age" at 2007, 2000, and 1990 split by gender

Details

Reported age is truncated at the last age with $lx > 0$.

Source

See https://www.ssa.gov/oact/NOTES/as120/LifeTables_Body.html

Examples

```
data(demoUsa)
head(demoUsa)
```

de_angelis_di_falco	<i>Italian Health Insurance Data</i>
---------------------	--------------------------------------

Description

A list of data.frames containing transition probabilities by age (row) and year of projections. Transitions are split by males and females, and show probabilities of survival, death and transitions from Healthy to Disabled.

Usage

```
de_angelis_di_falco
```

Format

a list containing eleven items (data.frames), and an mdt data object (HealthyMaleTable2013)

Source

Paolo De Angelis, Luigi di Falco (a cura di). Assicurazioni sulla salute: caratteristiche, modelli attuariali e basi tecniche

duration	<i>Compute the duration or the convexity of a series of CF</i>
----------	--

Description

Compute the duration or the convexity of a series of CF

Usage

```
duration(cashFlows, timeIds, i, k = 1, macaulay = TRUE)
```

```
convexity(cashFlows, timeIds, i, k = 1)
```

Arguments

cashFlows	A vector representing the cash flows amounts.
timeIds	Cash flows times
i	APR interest, i.e. nominal interest rate compounded m-thly.
k	Compounding frequency for the nominal interest rate.
macaulay	Use the Macaulay formula

Details

The Macaulay duration is defined as $\sum_t \frac{t * CF_t (1 + \frac{i}{k})^{-t * k}}{P}$, while $\sum_t t * (t + \frac{1}{k}) * CF_t (1 + \frac{y}{k})^{-k * t - 2}$

Value

A numeric value representing either the duration or the convexity of the cash flow series

References

Broverman, S.A., Mathematics of Investment and Credit (Fourth Edition), 2008, ACTEX Publications.

Examples

```
#evaluate the duration/convexity of a coupon payment
cf=c(10,10,10,10,10,110)
t=c(1,2,3,4,5,6)
duration(cf, t, i=0.03)
convexity(cf, t, i=0.03)
```

endowment_trio	<i>Endowment, insurance, pure endowment, and survival annuity APVs (shared topic)</i>
----------------	---

Description

This help page groups four classical life-contingency present values:

- **Exn**: pure endowment, pays 1 at time n if alive.
- **Axn**: term/whole life insurance, pays 1 at death within n years (or up to limiting age if n is missing), with fractional claim timing.
- **AExn**: n-year endowment insurance, i.e. Axn + Exn.
- **axn**: survival annuity (immediate/due), with deferment m and k payments per year.

Usage

```
Exn(actuarialtable, x, n, i = actuarialtable@interest, type = "EV", power = 1)
```

```
axn(
  actuarialtable,
  x,
  n,
  i = actuarialtable@interest,
  m,
  k = 1,
  type = "EV",
  power = 1,
  payment = "advance",
  ...
)
```

```
Axn(
  actuarialtable,
  x,
  n,
  i = actuarialtable@interest,
  m,
  k = 1,
  type = "EV",
```

```

    power = 1,
    ...
)

AExn(
  actuarialtable,
  x,
  n,
  i = actuarialtable@interest,
  k = 1,
  type = "EV",
  power = 1
)

```

Arguments

actuarialtable	A lifetable or actuarialtable object.
x	Attained age at inception.
n	Contract length in years. If missing, for Exn and Axn it is set to $\text{pmax}(\text{ceiling}((\text{getOmega}(\text{actuarialtable}) - x - m) * k) / k, 0)$; for AExn it defaults to $\text{getOmega}(\text{actuarialtable}) - x - 1$. (See function-specific details below.)
i	Annual effective interest rate. Defaults to <code>actuarialtable@interest</code> .
type	Output type: "EV" (expected value, default) or "ST" (one stochastic realization via <code>rLifeContingencies</code>).
power	Power of the discounted payoff before expectation (default 1).
m	Deferment (years). Default 0. Vector accepted. (Axn/axn)
k	Fractional periods per year ($k \geq 1$). Default 1. Must be scalar. (Axn/axn/AExn insurance leg)
payment	Payment timing for annuities: "advance" (aka due) or "immediate" (aka arrears). (axn)
...	Extra args forwarded to mortality helpers (<code>pxt</code> , <code>qxt</code>), e.g. fractional assumptions. (Axn)

Details

Exn: $E_x^n = v^n {}_n p_x$ with $v = (1 + i)^{-1}$.

Axn: With fractional claims,

$$A_{\overline{n}|}^{(k)} = \sum_{j=1}^{nk} v^{t_j+1/k} {}_{t_j} p_x q_{x+t_j}^{(1/k)},$$

where $t_j = m + (j - 1)/k$, computed via `pxt(...)` and `qxt(..., t=1/k)`.

AExn: returns `Axn(...)` + `Exn(...)` with aligned arguments.

axn: Survival annuity with payment timing "immediate" (arrears) or "due" (advance), deferment `m` and `k` payments per year (see function-specific parameters).

axn — Survival annuity (immediate/due), with deferment m and k fractional payments. For type="EV" the annuity is computed as

$$a_{\overline{n}|}^{(k)} = \sum_{j=1}^{nk} \frac{1}{k} v^{t_j} {}_{t_j}p_x,$$

where t_j are the payment times depending on payment and m .

Axn — Life insurance (term / whole life), fractional claim times. Vectorized in x , n , m . k must be scalar.

AExn — n -year endowment insurance, computed as $Axn + Exn$.

Value

A numeric value (or vector for vectorized inputs): the APV in expected value, or one simulated realization when type="ST".

Exn — Pure endowment

Computes the actuarial present value (APV) of a pure endowment that pays 1 at time n provided survival to $x+n$.

References

Bowers, N. L., Gerber, H. U., Hickman, J. C., Jones, D. A., Nesbitt, C. J. (1997). *Actuarial Mathematics*, 2nd ed., SOA.

See Also

[Axn](#), [AExn](#), [axn](#), [Exn](#)

Other life-contingency APVs: [arithmetic_variation_insurances](#)

Examples

```
## Common setup used in legacy docs
data(sofar)
sofarAct <- with(sofar, new("actuarialtable", interest=0.06, x=x, lx=Ix, name="SOA2008"))

## Exn (pure endowment)
Exn(sofarAct, x=30, n=35)

## Axn (term / whole life insurance)
# 10-year term, semiannual claims:
Axn(sofarAct, x=50, n=10, k=2)
# Whole life (n inferred), monthly:
Axn(sofarAct, x=30, k=12)

## AExn = Axn + Exn (legacy book-check)
AExn(sofarAct, x=35, n=30, i=0.06)
Exn(sofarAct, x=35, n=30, i=0.06) + Axn(sofarAct, x=35, n=30, i=0.06)

## axn (survival annuity, legacy example)
```

```
# Life-long annuity for age 65:
axn(soa08Act, x=65)

## axn specific legacy examples
# Immediate (arrears) vs due (advance), quarterly, 15-year term deferred 5 years:
axn(soa08Act, x=60, n=15, m=5, k=4, payment="immediate")
axn(soa08Act, x=60, n=15, m=5, k=4, payment="due")
# Vectorization over x/n:
axn(soa08Act, x=c(60,65), n=c(10,20), k=12, payment="due")
```

exn	<i>Expected residual life.</i>
-----	--------------------------------

Description

Expected residual life.

Usage

```
exn(object, x, n, type = "curtate")
```

Arguments

object	A lifetable/actuarialtable object.
x	Attained age
n	Time until which the expected life should be calculated. Assumed omega - x whether missing.
type	Either "Tx", "complete" or "continuous" for continuous future lifetime, "Kx" or "curtate" for curtate future lifetime (can be abbreviated).

Value

A numeric value representing the expected life span.

Author(s)

Giorgio Alfredo Spedicato

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[lifetable](#)

Examples

```
#loads and show
data(soa08Act)
exn(object=soa08Act, x=0)
exn(object=soa08Act, x=0, type="complete")
```

getDecrements

Function to return the decrements defined in the mdt class

Description

This function list the character decrements of the mdf class

Usage

```
getDecrements(object)
```

Arguments

object A mdt class object

Details

A character vector is returned

Value

A character vector listing the decrements defined in the class

Note

To be updated

Author(s)

Giorgio Spedicato

References

Marcel Finan A Reading of the Theory of Life Contingency Models: A Preparation for Exam MLC/3L

See Also

[getOmega](#)

Examples

```
#create a new table
tableDecr=data.frame(d1=c(150,160,160),d2=c(50,75,85))
newMdt<-new("mdt",name="testMDT",table=tableDecr)
getDecrements(newMdt)
```

getLifecontingencyPv *Functions to obtain the present value of a life contingency given the time to death*

Description

It returns the present value of a life contingency, specified by its APV symbol, known the time to death of the subjects

Usage

```
getLifecontingencyPv(deathsTimeX, lifecontingency, object, x, t, i = object@interest,
m = 0, k = 1, payment = "advance")
getLifecontingencyPvXyz(deathsTimeXyz, lifecontingency, tablesList, x, t, i, m = 0,
k = 1, status = "joint", payment = "advance")
```

Arguments

deathsTimeX	Time to death
lifecontingency	lifecontingency symbol
object	life table(s)
x	age(s) of the policyholder(s)
t	term of the contract
i	interest rate
m	deferrement
k	fractional payments
payment	The Payment type, either "advance" for the annuity due (default) or "arrear" for the annuity immediate. Alternatively, one can use "due" or "immediate" respectively (can be abbreviated).
deathsTimeXyz	matrix of death times from birth
tablesList	list of table of the same size of num column of deathTimeXyz.
status	Either "joint" for the joint-life status model or "last" for the last-survivor status model (can be abbreviated).

Details

This function is a wrapper to the many internal functions that give the PV known the age of death.

Value

A vector or matrix of size number of rows of deathTimeXyz / deathTimeXy

Warning

The function is provided as is, without any warranty regarding the accuracy of calculations. The author disclaims any liability for eventual losses arising from direct or indirect use of this software.

Note

Multiple life function needs to be tested

Author(s)

Spedicato Giorgio

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[rLifeContingenciesXyz](#), [rLifeContingencies](#)

Examples

```
#simulate the PV values for some life contingencies given some death times
data(soa08Act)
testgetLifecontingencyPvXyzAxyz<-getLifecontingencyPvXyz(deathsTimeXyz=
matrix(c(50,50,51,43,44,22,12,56,20,24,53,12),
ncol=2),
lifecontingency = "Axyz", tablesList = list(soa08Act, soa08Act), i = 0.03, t=30, x=c(40,50),
m=0, k=1, status="last")
testgetLifecontingencyPvAxn<-getLifecontingencyPv(deathsTimeX = seq(0, 110, by=1),
lifecontingency = "Axn", object=soa08Act,
x=40, t=20, m=0, k=1)
```

getOmega

Function to return the terminal age of a life table.

Description

This function returns the ω value of a life table object, that is, the last attainable age within a life table.

Usage

```
getOmega(object)
```

Arguments

object A life table object.

Value

A numeric value representing the ω value of a life table object

Warning

The function is provided as is, without any guarantee regarding the accuracy of calculation. We disclaim any liability for eventual losses arising from direct or indirect use of this software.

Author(s)

Giorgio A. Spedicato

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[actuarialtable](#)

Examples

```
#assumes SOA example life table to be load
data(sofar)
soa08=with(sofar, new("lifetable",
x=x,lx=lx,name="SOA2008"))
#the last attainable age under SOA life table is
getOmega(soa08)
```

Iaxn

Increasing annuity life contingencies

Description

This function evaluates increasing annuities

Usage

```
Iaxn(actuarialtable, x, n, i, m = 0, type = "EV", power=1)
```

Arguments

actuarialtable	An actuarialtable object.
x	The age of the insured head.
n	The duration of the insurance
i	The interest rate that overrides the one in the actuarialtable object.
m	The deferring period.
type	Yet only "EV" is implemented.
power	The power of the APV. Default is 1 (mean)

Details

This actuarial mathematics is generally exoteric. I have seen no valid example of it.

Value

The APV of the insurance

Warning

The function is provided as is, without any guarantee regarding the accuracy of calculation. We disclaim any liability for eventual losses arising from direct or indirect use of this software.

Note

The function is provided as is, without any guarantee regarding the accuracy of calculation. We disclaim any liability for eventual losses arising from direct or indirect use of this software.

Author(s)

Giorgio A. Spedicato

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[axn, IAxn](#)

Examples

```
#using SOA illustrative life tables
data(sofar)
sofarAct=with(sofar, new("actuarialtable", interest=0.06,
x=x, lx=Ix, name="SOA2008"))
#evaluate the value of a lifetime increasing annuity for a subject aged 80
Iaxn(actuarialtable=sofarAct, x=80, n=10)
```

increasingAnnuity *Increasing annuity.*

Description

This function evaluates non - stochastic increasing annuities.

Usage

```
increasingAnnuity(i, n, type = "immediate")
```

Arguments

i	A numeric value representing the interest rate.
n	The number of periods.
type	The Payment type, either "advance" for the annuity due (default) or "arrear" for the annuity immediate. Alternatively, one can use "due" or "immediate" respectively (can be abbreviated).

Details

An increasing annuity shows the following flow of payments: $1, 2, \dots, n - 1, n$

Value

The value of the annuity.

Warning

The function is provided as is, without any guarantee regarding the accuracy of calculation. We disclaim any liability for eventual losses arising from direct or indirect use of this software.

Note

This function calls internally presentValue function.

Author(s)

Giorgio A. Spedicato

References

Broverman, S.A., Mathematics of Investment and Credit (Fourth Edition), 2008, ACTEX Publications.

See Also

[decreasingAnnuity, IAxn](#)

Examples

```
#the present value of 1,2,...,n-1, n sequence of payments,  
#payable at the end of the period  
#for 10 periods is  
increasingAnnuity(i=0.03, n=10)  
#assuming a 3% interest rate
```

intensity2Interest *Functions to switch from interest to intensity and vice versa.*

Description

These functions switch from interest to intensity and vice - versa.

Usage

```
intensity2Interest(intensity)  
  
interest2Intensity(i)
```

Arguments

intensity	Intensity rate
i	interest rate

Details

Simple financial mathematics formulas are applied.

Value

A numeric value.

Author(s)

Giorgio A. Spedicato

References

Broverman, S.A., Mathematics of Investment and Credit (Fourth Edition), 2008, ACTEX Publications.

See Also

[real2Nominal](#), [nominal2Real](#)

Examples

```
# a force of interest of 0.02 corresponds to an APR of
intensity2Interest(intensity=0.02)
#an interest rate equal to 0.02 corresponds to a force of interest of
interest2Intensity(i=0.02)
```

interest2Discount *Functions to switch from interest to discount rates*

Description

These functions switch from interest to discount rates and vice - versa

Usage

```
interest2Discount(i)
```

```
discount2Interest(d)
```

Arguments

i	Interest rate
d	Discount rate

Details

The following formula (and its inverse) rules the relationships:

$$\frac{i}{1+i} = d$$

Value

A numeric value

Author(s)

Giorgio Alfredo Spedicato

References

Broverman, S.A., Mathematics of Investment and Credit (Fourth Edition), 2008, ACTEX Publications.

See Also

[intensity2Interest,nominal2Real](#)

See Also

[accumulatedValue](#)

Examples

```
Isn(n=10, i=0.03)
```

lifetable-class	Class "lifetable"
-----------------	-------------------

Description

lifetable objects allow to define and use life tables with the aim to evaluate survival probabilities and mortality rates easily. Such values represent the building blocks used to estimate life insurances actuarial mathematics.

Objects from the Class

Objects can be created by calls of the form `new("lifetable", ...)`. Two vectors are needed. The age vector and the population at risk vector.

Slots

x: Object of class "numeric", representing the sequence $0, 1, \dots, \omega$

lx: Object of class "numeric", representing the number of lives at the beginning of age x . It is a non increasing sequence. The last element of vector x is supposed to be > 0 .

name: Object of class "character", reporting the name of the table

Methods

coerce signature(from = "lifetable", to = "data.frame"): method to create a data - frame from a lifetable object

coerce signature(from = "lifetable", to = "markovchainList"): coerce method from lifetable to markovchainList

coerce signature(from = "lifetable", to = "numeric"): brings to numeric

coerce signature(from = "data.frame", to = "lifetable"): brings to life table

getOmega signature(object = "lifetable"): returns the maximum attainable life age

plot signature(x = "lifetable", y = "ANY"): plot method

head signature(x = "lifetable"): head method

print signature(x = "lifetable"): method to print the survival probability implied in the table

show signature(object = "lifetable"): identical to plot method

summary signature(object = "lifetable"): it returns summary information about the object

Warning

The function is provided as is, without any warranty regarding the accuracy of calculations. The author disclaims any liability for eventual losses arising from direct or indirect use of this software.

Note

t may be missing in pxt, qxt, ext. It assumes value equal to 1 in such case.

Author(s)

Giorgio A. Spedicato

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[actuarialtable](#)

Examples

```
showClass("lifetable")
data(soa08)
summary(soa08)
#the last attainable age under SOA life table is
getOmega(soa08)
#head and tail
data(soaLt)
tail(soaLt)
head(soaLt)
```

Lxt

Various demographic functions

Description

Various demographic functions

Usage

```
Lxt(object, x, t = 1, fxt = 0.5)
```

```
Tx(object, x)
```

Arguments

object	a lifetable or actuarialtable object
x	age of the subject
t	duration of the calculation
fxt	correction constant, default 0.5

Details

T_x is the sum of years lived since age x by the population of the life table, it is the sum of L_x . The function is provided as is, without any warranty regarding the accuracy of calculations. Use at own risk.

Value

A numeric value

Author(s)

Giorgio Alfredo Spedicato.

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

Examples

```
data(sofar)
sofarAct=with(sofar, new("actuarialtable",interest=0.06,
x=x,lx=Ix,name="SOA2008"))
Lxt(sofarAct, 67,10)
#assumes SOA example life table to be load
data(sofar)
sofarAct=with(sofar, new("actuarialtable",interest=0.06,x=x,lx=Ix,name="SOA2008"))
Tx(sofarAct, 67)
```

mdt-class

Class "mdt"

Description

A class to store multiple decrement tables

Objects from the Class

Objects can be created by calls of the form `new("mdt", name, table, ...)`. They store absolute decrements

Slots

name: The name of the table

table: A data frame containing at least the number of decrements

Methods

getDecrements signature(object = "mdt"): return the name of decrements

getOmega signature(object = "mdt"): maximum attainable age

initialize signature(.Object = "mdt"): method to initialize the class

print signature(x = "mdt"): tabulate absolute decrement rates

show signature(object = "mdt"): show rates of decrement

coerce signature(from = "mdt", to = "markovchainList"): coercing to markovchainList objects

coerce signature(from = "mdt", to = "data.frame"): coercing to markovchainList objects

summary signature(object = "mdt"): it returns summary information about the object

Note

Currently only decrements storage of the class is defined.

Author(s)

Giorgio Spedicato

References

Marcel Finan A Reading of the Theory of Life Contingency Models: A Preparation for Exam MLC/3L

See Also

[lifetable](#)

Examples

```
#shows the class definition
showClass("mdt")
#create a new table
tableDecr=data.frame(d1=c(150,160,160),d2=c(50,75,85))
newMdt<-new("mdt",name="testMDT",table=tableDecr)
```

multiple life probabilities

Functions to deals with multiple life models

Description

These functions evaluate multiple life survival probabilities, either for joint or last life status. Arbitrary life probabilities can be generated as well as random samples of lifes.

Usage

```
exyzt(tablesList, x, t = Inf, status = "joint", type = "Kx", ...)
```

```
pxyzt(tablesList, x, t, status = "joint",
fractional=rep("linear", length(tablesList)), ...)
```

```
qxyzt(tablesList, x, t, status = "joint",
fractional=rep("linear",length(tablesList)), ...)
```

Arguments

<code>tablesList</code>	A list whose elements are either <code>lifetable</code> or <code>actuarialtable</code> class objects.
<code>x</code>	A vector of the same size of <code>tableList</code> that contains the initial ages.
<code>t</code>	The duration.
<code>status</code>	Either "joint" for the joint-life status model or "last" for the last-survivor status model (can be abbreviated).
<code>type</code>	Either "Tx" for continuous future lifetime, "Kx" for curtate future lifetime (can be abbreviated).
<code>fractional</code>	Assumptions for fractional age. One of "linear", "hyperbolic", "constant force" (can be abbreviated).
<code>...</code>	Options to be passed to <code>pxt</code> .

Details

These functions extends `pxyt` family to an arbitrary number of life contingencies.

Value

An estimate of survival / death probability or expected lifetime, or a matrix of ages.

Note

The procedure is experimental.

Author(s)

Giorgio Alfredo, Spedicato

References

Broverman, S.A., Mathematics of Investment and Credit (Fourth Edition), 2008, ACTEX Publications.

See Also

[pxt,exn](#)

Examples

```
#assessment of curtate expectation of future lifetime of the joint-life status
#generate a sample of lifes
data(sofar)
sofarAct=with(sofar, new("actuarialtable", interest=0.06, x=x, lx=Ix, name="SOA2008"))
tables=list(males=sofarAct, females=sofarAct)
xVec=c(60,65)
test=rLifexyz(n=50000, tablesList = tables, x=xVec, type="Kx")
#check first survival status
t.test(x=apply(test,1,"min"), mu=exyzt(tablesList=tables, x=xVec, status="joint"))
#check last survival status
t.test(x=apply(test,1,"max"), mu=exyzt(tablesList=tables, x=xVec, status="last"))
```

mx2qx

Mortality rates to Death probabilities

Description

Function to convert mortality rates to probabilities of death

Usage

```
mx2qx(mx, ax = 0.5)
```

Arguments

mx	mortality rates vector
ax	the average number of years lived between ages x and x +1 by individuals who die in that interval

Details

Function to convert mortality rates to probabilities of death

Value

A vector of death probabilities

See Also

mxt, qxt, qx2mx

Examples

```
#using some recursion
qx2mx(mx2qx(.2))
```

mxt

Central mortality rate

Description

This function returns the central mortality rate demographic function.

Usage

```
mxt(object, x, t)
```

Arguments

object	a lifetable or actuarialtable object
x	subject's age
t	period on which the rate is evaluated

Value

A numeric value representing the central mortality rate between age x and $x + t$.

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

Examples

```
#assumes SOA example life table to be load
data(soalt)
soa08Act=with(soalt, new("actuarialtable", interest=0.06, x=x, lx=Ix, name="SOA2008"))
#compare mx and qx
mxt(soa08Act, 60, 10)
qxt(soa08Act, 60, 10)
```

`nominal2Real`*Functions to switch from nominal / effective / convertible rates*

Description

Functions to switch from nominal / effective / convertible rates

Usage

```
nominal2Real(i, k = 1, type = "interest")
```

```
convertible2Effective(i, k = 1, type = "interest")
```

```
real2Nominal(i, k = 1, type = "interest")
```

```
effective2Convertible(i, k = 1, type = "interest")
```

Arguments

<code>i</code>	The rate to be converted.
<code>k</code>	The original / target compounding frequency.
<code>type</code>	Either "interest" (default) or "nominal".

Details

`effective2Convertible` and `convertible2Effective` wrap the other two functions.

Value

A numeric value.

Note

Convertible rates are synonyms of nominal rates

References

Broverman, S.A., *Mathematics of Investment and Credit* (Fourth Edition), 2008, ACTEX Publications.

See Also

[real2Nominal](#)

Examples

```
#a nominal rate of 0.12 equates an APR of  
nominal2Real(i=0.12, k = 12, "interest")
```

presentValue	<i>Present value of a series of cash flows.</i>
--------------	---

Description

This function evaluates the present values of a series of cash flows, given occurrence time. Probabilities of occurrence can also be taken into account.

Usage

```
presentValue(cashFlows, timeIds, interestRates, probabilities, power=1)
```

Arguments

cashFlows	Vector of cashFlow, must be coherent with timeIds
timeIds	Vector of points of time where cashFlows are due.
interestRates	A numeric value or a time-size vector of interest rate used to discount cash flow.
probabilities	Optional vector of probabilities.
power	Power to square discount and cash flows. Default is set to 1

Details

probabilities is optional, a sequence of 1 length of timeIds is assumed. Interest rate shall be a fixed number or a vector of the same size of timeIds. power parameters is generally useless beside life contingencies insurances evaluations.

Value

A numeric value representing the present value of cashFlows vector, or the actuarial present value if probabilities are provided.

Warning

The function is provided as is, without any guarantee regarding the accuracy of calculation. The author disclaims any liability for eventual losses arising from direct or indirect use of this software.

Note

This simple function is the kernel working core of the package. Actuarial and financial mathematics ground on it.

Author(s)

Giorgio A. Spedicato

References

Broverman, S.A., Mathematics of Investment and Credit (Fourth Edition), 2008, ACTEX Publications.

See Also

[annuity](#), [axn](#)

Examples

```
#simple example
cf=c(10,10,10) # $10 of payments one per year for three years
t=c(1,2,3) #years
p=c(1,1,1) #assume payments certainty
#assume 3% of interest rate
presentValue(cashFlows=cf, timeIds=t, interestRates=0.03, probabilities=p)
```

probs2lifetable	<i>Life table from probabilities</i>
-----------------	--------------------------------------

Description

This function returns a newly created lifetable object given either survival or death (one year) probabilities)

Usage

```
probs2lifetable(probs, radix = 10000, type = "px", name = "ungiven")
```

Arguments

probs	A real valued vector representing either one year survival or death probabilities. The last value in the vector must be either 1 or 0, depending if it represents death or survival probabilities respectively.
radix	The radix of the life table.
type	Character value either "px" or "qx" indicating how probabilities must be interpreted.
name	The character value to be put in the corresponding slot of returned object.

Details

The ω value is the length of the probs vector.

Value

A [lifetable](#) object.

Warning

The function is provided as is, without any guarantee regarding the accuracy of calculation. We disclaim any liability for eventual losses arising from direct or indirect use of this software.

Note

This function allows to use mortality projection given by other softwares with the lifecontingencies package.

Author(s)

Giorgio A. Spedicato

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[actuarialtable](#)

Examples

```
fakeSurvivalProbs=seq(0.9,0,by=-0.1)
newTable=probs2lifetable(fakeSurvivalProbs,type="px",name="fake")
head(newTable)
tail(newTable)
```

pxt

Functions to evaluate survival, death probabilities and deaths.

Description

These functions evaluate raw survival and death probabilities between age x and $x+t$

Usage

```
dxt(object, x, t, decrement)
pxt(object, x, t, fractional = "linear", decrement)
qxt(object, x, t, fractional = "linear", decrement)
```

Arguments

object	A lifetable object.
x	Age of life x. (can be a vector for p _x t, q _x t).
t	Period until which the age shall be evaluated. Default value is 1. (can be a vector for p _x t, q _x t).
fractional	Assumptions for fractional age. One of "linear", "hyperbolic", "constant force" (can be abbreviated).
decrement	The reason of decrement (only for mdt class objects). Can be either an ordinal number or the name of decrement

Details

Fractional assumptions are:

- linear: linear interpolation between consecutive ages, i.e. assume uniform distribution.
- constant force of mortality : constant force of mortality, also known as exponential interpolation.
- hyperbolic: Balducci assumption, also known as harmonic interpolation.

Note that fractional="uniform", "exponential", "harmonic" or "Balducci" is also authorized. See references for details.

Value

A numeric value representing requested probability.

Warning

The function is provided as is, without any warranty regarding the accuracy of calculations. The author disclaims any liability for eventual losses arising from direct or indirect use of this software.

Note

Function d_xt accepts also fractional value of t. Linear interpolation is used in such case. These functions are called by many other functions.

Author(s)

Giorgio A. Spedicato

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[exn](#), [lifetable](#)

Examples

```
#dxt example
data(soa08Act)
dxt(object=soa08Act, x=90, t=2)
#qxt example
qxt(object=soa08Act, x=90, t=2)
#pxt example
pxt(object=soa08Act, x=90, t=2, "constant force" )
#add another example for MDT
```

pxyt

*Functions to evaluate joint survival probabilities.***Description**

These functions evaluate survival and death probabilities for two heads.

Usage

```
exyt(objectx, objecty, x, y, t, status = "joint")
pxyt(objectx, objecty, x, y, t, status = "joint")
qxyt(objectx, objecty, x, y, t, status = "joint")
```

Arguments

objectx	lifetable for life X.
objecty	lifetable for life Y.
x	Age of life X.
y	Age of life Y.
t	Time until survival has to be evaluated.
status	Either "joint" for the joint-life status model or "last" for the last-survivor status model (can be abbreviated).

Value

A numeric value representing joint survival probability.

Warning

The function is provided as is, without any warranty regarding the accuracy of calculations. The author disclaims any liability for eventual losses arising from direct or indirect use of this software. Also it is being Deprecated and asap removed from the package.

Note

These functions are used to evaluate two or more life contingencies.

Author(s)

Giorgio A. Spedicato, Kevin J. Owens.

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[exyt](#)

Examples

```
## Not run:
data(soa08Act)
pxyt(soa08Act, soa08Act, 65, 70,10)
pxyt(soa08Act, soa08Act, 65, 70,10, "last")

## End(Not run)
```

qx2mx

Death Probabilities to Mortality Rates

Description

Function to convert death probabilities to mortality rates

Usage

```
qx2mx(qx, ax = 0.5)
```

Arguments

qx	death probabilities
ax	the average number of years lived between ages x and x +1 by individuals who die in that interval

Details

Function to convert death probabilities to mortality rates

Value

A vector of mortality rates

See Also

mx_t, qx_t, mx₂qx

Examples

```
data(soa08Act)
soa08qx<-as(soa08Act,"numeric")
soa08mx<-qx2mx(qx=soa08qx)
soa08qx2<-mx2qx(soa08mx)
```

qxt.prime.fromMdt	<i>Return Associated single decrement from absolute rate of decrement</i>
-------------------	---

Description

Return Associated single decrement from absolute rate of decrement

Usage

```
qxt.prime.fromMdt(object, x, t = 1, decrement)
qxt.fromQxprime(qx.prime, other.qx.prime, t = 1)
```

Arguments

object	a mdj object
x	age
t	period (default 1)
decrement	type (necessary)
qx.prime	single ASDT decrement of which corresponding decrement is desired
other.qx.prime	ASDT decrements other than qx.prime

Value

a single value (AST)

Functions

- qxt.fromQxprime(): Obtain decrement from single decrements

Examples

```
#Creating the valdez mdf

valdezDf<-data.frame(
  x=c(50:54),
  lx=c(4832555,4821937,4810206,4797185,4782737),
  hearth=c(5168, 5363, 5618, 5929, 6277),
  accidents=c(1157, 1206, 1443, 1679,2152),
  other=c(4293,5162,5960,6840,7631))
valdezMdt<-new("mdt",name="ValdezExample",table=valdezDf)

qxt.prime.fromMdt(object=valdezMdt,x=53,decrement="other")

#Finan example 67.2

qxt.fromQxprime(qx.prime = 0.01,other.qx.prime = c(0.03,0.06))
```

rLifeContingencies	<i>Function to generate samples from the life contingencies stochastic variables</i>
--------------------	--

Description

Function to generate samples from the life contingencies stochastic variables

Usage

```
rLifeContingencies(
  n,
  lifecontingency,
  object,
  x,
  t,
  i = object@interest,
  m = 0,
  k = 1,
  parallel = FALSE,
  payment = "advance"
)

rLifeContingenciesXyz(
  n,
  lifecontingency,
  tablesList,
  x,
  t,
  i,
```

```

    m = 0,
    k = 1,
    status = "joint",
    parallel = FALSE,
    payment = "advance"
  )

```

Arguments

n	Size of sample
lifecontingency	A character string, either "Exn", "Axn", "axn", "IAxn" or "DAXn"
object	An actuarialtable object.
x	Policyholder's age at issue time; for rLifeContingenciesXyz a numeric vector of the same length of object, containing the policyholders' ages
t	The length of the insurance. Must be specified according to the present value of benefits definition.
i	The interest rate, whose default value is the actuarialtable interest rate slot value.
m	Deferring period, default value is zero.
k	Fractional payment, default value is 1.
parallel	Uses the parallel computation facility.
payment	The Payment type, either "advance" for the annuity due (default) or "arrear" for the annuity immediate. Alternatively, one can use "due" or "immediate" respectively (can be abbreviated).
tableslist	A list of actuarialtable objects
status	Either "joint" for the joint-life status model or "last" for the last-survivor status model (can be abbreviated).

Value

A numeric vector

Examples

```

## Not run:
#assumes SOA example life table to be load
data(soaLt)
soa08Act=with(soaLt, new("actuarialtable",interest=0.06, x=x,lx=Ix,name="SOA2008"))
out<-rLifeContingencies(n=1000, lifecontingency="Axn",object=soa08Act, x=40,
t=getOmega(soa08Act)-40, m=0)
APV=Axn(soa08Act,x=40)
#check if out distribution is unbiased
t.test(x=out, mu=APV)$p.value>0.05

## End(Not run)
## Not run:

```

```

data(soa08Act)
n=10000
lifecontingency="Axyz"
tablesList=list(soa08Act,soa08Act)
x=c(60,60); i=0.06; m=0; status="joint"; t=30; k=1
APV=Axyzn(tablesList=tablesList,x=x,n=t,m=m,k=k,status=status,type="EV")
samples<-rLifeContingenciesXyz(n=n,lifecontingency = lifecontingency,tablesList = tablesList,
x=x,t=t,m=m,k=k,status=status, parallel=FALSE)
APV
mean(samples)

## End(Not run)

```

rLifes

Function to generate random future lifetimes

Description

Function to generate random future lifetimes

Usage

```
rLife(n, object, x = 0, k = 1, type = "Tx")
```

```
rLifexyz(n, tablesList, x, k = 1, type = "Tx")
```

Arguments

n	Number of variates to generate
object	An object of class lifetable
x	The attained age of subject x, default value is 0
k	Number of periods within the year when it is possible death to happen, default value is 1
type	Either "Tx" for continuous future lifetime, "Kx" for curtate future lifetime (can be abbreviated).
tablesList	An list of lifetables

Details

Following relation holds for the future life time: $T_x = K_x + 0.5$

Value

A numeric vector of n elements.

Note

The function is provided as is, without any warranty regarding the accuracy of calculations. The author disclaims any liability for eventual losses arising from direct or indirect use of this software.

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

See Also

[lifetable](#), [exn](#)

Examples

```
## Not run:
##get 20000 random future lifetimes for the Soa life table at birth
data(soa08Act)
lifes=rLife(n=20000,object=soa08Act, x=0, type="Tx")
check if the expected life at birth derived from the life table is statistically equal
to the expected value of the sample
t.test(x=lifes, mu=exn(soa08Act, x=0, type="continuous"))

## End(Not run)
## Not run:
#assessment of curtate expectation of future lifetime of the joint-life status
#generate a sample of lifes
data(soaLt)
soa08Act=with(soaLt, new("actuarialtable",interest=0.06,x=x,lx=Ix,name="SOA2008"))
tables=list(males=soa08Act, females=soa08Act)
xVec=c(60,65)
test=rLifexyz(n=50000, tablesList = tables,x=xVec,type="Kx")
#check first survival status
t.test(x=apply(test,1,"min"),mu=exyzt(tablesList=tables, x=xVec,status="joint"))
#check last survival status
t.test(x=apply(test,1,"max"),mu=exyzt(tablesList=tables, x=xVec,status="last"))

## End(Not run)
```

rmdt

Simulate from a multiple decrement table

Description

Simulate from a multiple decrement table

Usage

```
rmdt(n = 1, object, x = 0, t = 1, t0 = "alive", include.t0 = TRUE)
```

Arguments

n	Number of simulations.
object	The mdt object to simulate from.
x	the period to simulate from.
t	the period until to simulate.
t0	initial status (default is "alive").
include.t0	should initial status to be included (default is TRUE)?

Value

A matrix with n columns (the length of simulation) and either t (if initial status is not included) or t+1 rows.

Details

The function uses `rmarkovchain` function from `markovchain` package to simulate the chain

Author(s)

Giorgio Spedicato

See Also

[rLifeContingenciesXyz](#), [rLifeContingencies](#)

Examples

```
mdtDf<-data.frame(x=c(0,1,2,3),death=c(100,50,30,10),lapse=c(150,20,2,0))
myMdt<-new("mdt",name="example Mdt",table=mdtDf)
ciao<-rmdt(n=5,object = myMdt,x = 0,t = 4,include.t0=FALSE,t0="alive")
```

soa08

Society of Actuaries Illustrative Life Table object.

Description

This is the table that appears in the classical book *Actuarial Mathematics* in Appendix 2A and used throughout the book to illustrate life contingent calculations. The Society of Actuaries has been using this table when administering US actuarial professional MLC preliminary examinations.

Usage

```
data(soa08)
```

Format

Formal class 'lifetable' [package "lifecontingencies"] with 3 slots ..@ x : int [1:141] 0 1 2 3 4 5 6 7 8 9@ lx : num [1:141] 100000 97958 97826 97707 97597@ name: chr "SOA Illustrative Life Table"

Details

This table is a blend of Makeham's mortality law for ages 13 and above and some ad hoc values for ages 0 to 12.

The parameters for Makeham's mortality law are

$$1000 * \mu(x) = 0.7 + 0.05 * 10^{(0.04 * x)}$$

where $\mu(x)$ is the force of mortality.

The published Illustrative Life Table just shows ages 0 to 110 but in the computing exercises of chapter 3 the authors explain that the table's age range is from 0 to 140.

Note

This table is based on US 1990 general population mortality.

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

Examples

```
data(soa08)
## maybe str(soa08) ; plot(soa08) ...
```

soa08Act

Society of Actuaries Illustrative Life Table with interest rate at 6

Description

An object of class actuarialtable built from the SOA illustrative life table. Interest rate is 6

Usage

```
data(soa08Act)
```

Format

Formal class 'actuarialtable' [package "lifecontingencies"] with 4 slots ..@ interest: num 0.06 ..@ x : int [1:141] 0 1 2 3 4 5 6 7 8 9@ lx : num [1:141] 100000 97958 97826 97707 97597@ name : chr "SOA Illustrative Life Table"

Details

This table is a blend of Makeham's mortality law for ages 13 and above and some ad hoc values for ages 0 to 12.

The parameters for Makeham's mortality law are

$$1000 * \mu(x) = 0.7 + 0.05 * 10^{(0.04 * x)}$$

where $\mu(x)$ is the force of mortality.

The published Illustrative Life Table just shows ages 0 to 110 but in the computing exercises of chapter 3 the authors explain that the table's age range is from 0 to 140.

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

Examples

```
## Not run:
data(soa08Act)

## End(Not run)
```

 SoAISTdata

SoA illustrative service table

Description

Bowers' book Illustrative Service Table

Usage

```
data(SoAISTdata)
```

Format

A data frame with 41 observations on the following 6 variables.

x Attained age

lx Surviving subjects at the beginning of each age

death Drop outs for death cause

withdrawal Drop outs for withdrawal cause

inability Drop outs for inability cause

retirement Drop outs for retirement cause

Details

It is a data frame that can be used to create a multiple decrement table

Source

Optical recognized characters from below source with some few adjustments

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

Examples

```
data(SoAISTdata)
head(SoAISTdata)
```

soaLt	<i>Society of Actuaries life table</i>
-------	--

Description

This table has been used by the classical book Actuarial Mathematics and by the Society of Actuaries for US professional examinations.

Usage

```
data(soaLt)
```

Format

A data.frame with 111 obs on the following 2 variables:

x a numeric vector
Ix a numeric vector

Details

Early ages have been found elsewhere since miss in the original data sources; SOA did not provide population at risk data for certain spans of age (e.g. 1-5, 6-9, 11-14 and 16-19)

References

Actuarial Mathematics (Second Edition), 1997, by Bowers, N.L., Gerber, H.U., Hickman, J.C., Jones, D.A. and Nesbitt, C.J.

Examples

```
data(soaLt)
head(soaLt)
```

Uk life tables	<i>Uk AM AF 92 life tables</i>
----------------	--------------------------------

Description

Uk AM AF life tables

Usage

```
data(AF92Lt)
```

Format

The format is: Formal class 'lifetable' [package ".GlobalEnv"] with 3 slots ..@ x : int [1:111] 0 1 2
3 4 5 6 7 8 9@ lx : num [1:111] 100000 99924 99847 99770 99692@ name: chr "AF92"

Details

Probabilities for earliest (under 16) and latest ages (over 92) have been derived using a Brass - Logit model fit on Society of Actuaries life table.

Source

See Uk life table.

References

<https://www.actuaries.org.uk/learn-and-develop/continuous-mortality-investigation/cmi-mortality-and-morbidity-tables/92-series-tables>

Examples

```
data(AF92Lt)
exn(AF92Lt)
data(AM92Lt)
exn(AM92Lt)
```

Index

- * **classes**
 - actuarialtable-class, [6](#)
 - lifetable-class, [38](#)
 - mdt-class, [40](#)
- * **datasets**
 - de_angelis_di_falco, [23](#)
 - demoCanada, [16](#)
 - demoChina, [17](#)
 - demoFrance, [18](#)
 - demoGermany, [19](#)
 - demoIta, [20](#)
 - demoJapan, [21](#)
 - demoUk, [22](#)
 - demoUsa, [23](#)
 - soa08, [57](#)
 - soa08Act, [58](#)
 - SoAISTdata, [59](#)
 - soaLt, [60](#)
 - Uk life tables, [61](#)
- * **life-contingency APVs**
 - arithmetic_variation_insurances, [8](#)
 - endowment_trio, [25](#)
- accumulatedValue, [4](#), [5](#), [8](#), [38](#)
- actuarialtable, [21](#), [32](#), [39](#), [48](#)
- actuarialtable-class, [6](#)
- AExn, [11](#), [27](#)
- AExn (endowment_trio), [25](#)
- AF92Lt (Uk life tables), [61](#)
- AM92Lt (Uk life tables), [61](#)
- annuity, [4](#), [6](#), [7](#), [16](#), [47](#)
- arithmetic_variation_insurances, [8](#), [27](#)
- Axn, [10](#), [11](#), [27](#)
- Axn (endowment_trio), [25](#)
- axn, [7](#), [11](#), [27](#), [33](#), [47](#)
- axn (endowment_trio), [25](#)
- Axn.mdt, [11](#)
- Axyn, [14](#), [15](#)
- Axyn (axyn), [12](#)
- axyn, [12](#), [14](#), [15](#)
- Axyzn, [14](#)
- axyzn (Axyzn), [14](#)
- coerce, actuarialtable, data.frame-method (actuarialtable-class), [6](#)
- coerce, actuarialtable, numeric-method (actuarialtable-class), [6](#)
- coerce, data.frame, lifetable-method (lifetable-class), [38](#)
- coerce, lifetable, data.frame-method (lifetable-class), [38](#)
- coerce, lifetable, markovchainList-method (lifetable-class), [38](#)
- coerce, lifetable, numeric-method (lifetable-class), [38](#)
- coerce, mdt, data.frame-method (mdt-class), [40](#)
- coerce, mdt, markovchainList-method (mdt-class), [40](#)
- convertible2Effective (nominal2Real), [45](#)
- convexity (duration), [24](#)
- DAXn, [16](#)
- DAXn (arithmetic_variation_insurances), [8](#)
- de_angelis_di_falco, [23](#)
- decreasingAnnuity, [15](#), [34](#)
- demoCanada, [16](#)
- demoChina, [17](#)
- demoFrance, [18](#)
- demoGermany, [19](#)
- demoIta, [20](#)
- demoJapan, [21](#)
- demoUk, [22](#)
- demoUsa, [23](#)
- discount2Interest (interest2Discount), [36](#)
- duration, [24](#)
- dxt (pxt), [48](#)
- effective2Convertible (nominal2Real), [45](#)

- endowment_trio, [11](#), [25](#)
- Exn, [11](#), [27](#)
- Exn (endowment_trio), [25](#)
- exn, [28](#), [43](#), [49](#), [56](#)
- exyt, [51](#)
- exyt (pxyt), [50](#)
- exyzt (multiple life probabilities), [42](#)

- getDecrements, [29](#)
- getDecrements, mdt-method (mdt-class), [40](#)
- getLifecontingencyPv, [30](#)
- getLifecontingencyPvXyz
(getLifecontingencyPv), [30](#)
- getOmega, [29](#), [31](#)
- getOmega, actuarialtable-method
(actuarialtable-class), [6](#)
- getOmega, lifetable-method
(lifetable-class), [38](#)
- getOmega, mdt-method (mdt-class), [40](#)

- head, lifetable-method
(lifetable-class), [38](#)

- IAxn, [33](#), [34](#)
- IAxn (arithmetic_variation_insurances),
[8](#)
- Iaxn, [32](#)
- increasingAnnuity, [16](#), [34](#), [37](#)
- initialize, actuarialtable-method
(actuarialtable-class), [6](#)
- initialize, lifetable-method
(lifetable-class), [38](#)
- initialize, mdt-method (mdt-class), [40](#)
- intensity2Interest, [35](#), [36](#)
- interest2Discount, [36](#)
- interest2Intensity
(intensity2Interest), [35](#)
- Isn, [37](#)

- lifecontingencies
(lifecontingencies-package), [3](#)
- lifecontingencies-package, [3](#)
- lifetable, [6](#), [7](#), [21](#), [28](#), [41](#), [47](#), [49](#), [56](#)
- lifetable-class, [38](#)
- Lxt, [39](#)

- mdt-class, [40](#)
- multiple life probabilities, [42](#)
- mx2qx, [43](#)

- mxt, [44](#)

- nominal2Real, [35](#), [36](#), [45](#)

- plot, lifetable, ANY-method
(lifetable-class), [38](#)
- presentValue, [46](#)
- print, actuarialtable-method
(actuarialtable-class), [6](#)
- print, lifetable-method
(lifetable-class), [38](#)
- print, mdt-method (mdt-class), [40](#)
- probs2lifetable, [47](#)
- pxt, [42](#), [43](#), [48](#)
- pxyt, [13](#), [42](#), [50](#)
- pxyzt (multiple life probabilities), [42](#)

- qx2mx, [51](#)
- qxt (pxt), [48](#)
- qxt.fromQxprime (qxt.prime.fromMdt), [52](#)
- qxt.prime.fromMdt, [52](#)
- qxyt (pxyt), [50](#)
- qxyzt (multiple life probabilities), [42](#)

- real2Nominal, [35](#), [45](#)
- real2Nominal (nominal2Real), [45](#)
- rLife (rLifes), [55](#)
- rLifeContingencies, [31](#), [53](#), [57](#)
- rLifeContingenciesXyz, [31](#), [57](#)
- rLifeContingenciesXyz
(rLifeContingencies), [53](#)
- rLifes, [55](#)
- rLifexyz (rLifes), [55](#)
- rmdt, [56](#)

- show, actuarialtable-method
(actuarialtable-class), [6](#)
- show, lifetable-method
(lifetable-class), [38](#)
- show, mdt-method (mdt-class), [40](#)
- soa08, [57](#)
- soa08Act, [58](#)
- SoAISTdata, [59](#)
- soaLt, [60](#)
- summary, actuarialtable-method
(actuarialtable-class), [6](#)
- summary, lifetable-method
(lifetable-class), [38](#)
- summary, mdt-method (mdt-class), [40](#)

tail, lifetable-method
 (lifetable-class), [38](#)

Tx (Lxt), [39](#)

Uk life tables, [61](#)