

# Package ‘paws.cost.management’

July 23, 2025

**Title** 'Amazon Web Services' Cost Management Services

**Version** 0.9.0

**Description** Interface to 'Amazon Web Services' cost management services, including cost and usage reports, budgets, pricing, and more  
<<https://aws.amazon.com/>>.

**License** Apache License (>= 2.0)

**URL** <https://github.com/paws-r/paws>,  
<https://paws-r.r-universe.dev/paws.cost.management>

**BugReports** <https://github.com/paws-r/paws/issues>

**Imports** paws.common (>= 0.8.0)

**Suggests** testthat

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**Collate** 'billing\_service.R' 'billing\_interfaces.R'  
'billing\_operations.R' 'billingconductor\_service.R'  
'billingconductor\_interfaces.R' 'billingconductor\_operations.R'  
'budgets\_service.R' 'budgets\_interfaces.R'  
'budgets\_operations.R' 'costandusagereportservice\_service.R'  
'costandusagereportservice\_interfaces.R'  
'costandusagereportservice\_operations.R'  
'costexplorer\_service.R' 'costexplorer\_interfaces.R'  
'costexplorer\_operations.R' 'marketplacecatalog\_service.R'  
'marketplacecatalog\_interfaces.R'  
'marketplacecatalog\_operations.R'  
'marketplacecommerceanalytics\_service.R'  
'marketplacecommerceanalytics\_interfaces.R'  
'marketplacecommerceanalytics\_operations.R'  
'marketplaceentitlementservice\_service.R'  
'marketplaceentitlementservice\_interfaces.R'  
'marketplaceentitlementservice\_operations.R'  
'marketplacemetering\_service.R'  
'marketplacemetering\_interfaces.R'

'marketplacemetering\_operations.R'  
 'paymentcryptograpycontrolplane\_service.R'  
 'paymentcryptograpycontrolplane\_interfaces.R'  
 'paymentcryptograpycontrolplane\_operations.R'  
 'paymentcryptograpydataplane\_service.R'  
 'paymentcryptograpydataplane\_interfaces.R'  
 'paymentcryptograpydataplane\_operations.R' 'pricing\_service.R'  
 'pricing\_interfaces.R' 'pricing\_operations.R'  
 'reexports\_paws.common.R' 'savingsplans\_service.R'  
 'savingsplans\_interfaces.R' 'savingsplans\_operations.R'

**NeedsCompilation** no

**Author** David Kretch [aut],  
 Adam Banker [aut],  
 Dyfan Jones [cre],  
 Amazon.com, Inc. [cph]

**Maintainer** Dyfan Jones <dyfan.r.jones@gmail.com>

**Repository** CRAN

**Date/Publication** 2025-03-14 14:20:02 UTC

## Contents

billing . . . . .	2
billingconductor . . . . .	5
budgets . . . . .	8
costandusagereportservice . . . . .	11
costexplorer . . . . .	14
marketplacecatalog . . . . .	17
marketplacecommerceanalytics . . . . .	20
marketplaceentitlementservice . . . . .	22
marketplacemetering . . . . .	24
paymentcryptograpycontrolplane . . . . .	27
paymentcryptograpydataplane . . . . .	31
pricing . . . . .	33
savingsplans . . . . .	36

**Index** **39**

---

billing	<i>AWS Billing</i>
---------	--------------------

---

## Description

You can use the Billing API to programatically list the billing views available to you for a given time period. A billing view represents a set of billing data.

The Billing API provides the following endpoint:

<https://billing.us-east-1.api.aws>

**Usage**

```
billing(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

**Arguments**

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

**Value**

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

**Service syntax**

```

svc <- billing(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

**Operations**

<a href="#">create_billing_view</a>	Creates a billing view with the specified billing view attributes
<a href="#">delete_billing_view</a>	Deletes the specified billing view
<a href="#">get_billing_view</a>	Returns the metadata associated to the specified billing view ARN
<a href="#">get_resource_policy</a>	Returns the resource-based policy document attached to the resource in JSON format
<a href="#">list_billing_views</a>	Lists the billing views available for a given time period
<a href="#">list_source_views_for_billing_view</a>	Lists the source views (managed Amazon Web Services billing views) associated with t
<a href="#">list_tags_for_resource</a>	Lists tags associated with the billing view resource
<a href="#">tag_resource</a>	An API operation for adding one or more tags (key-value pairs) to a resource
<a href="#">untag_resource</a>	Removes one or more tags from a resource
<a href="#">update_billing_view</a>	An API to update the attributes of the billing view

## Examples

```
## Not run:
svc <- billing()
svc$create_billing_view(
  Foo = 123
)

## End(Not run)
```

---

billingconductor	<i>AWSBillingConductor</i>
------------------	----------------------------

---

## Description

Amazon Web Services Billing Conductor is a fully managed service that you can use to customize a **proforma** version of your billing data each month, to accurately show or chargeback your end customers. Amazon Web Services Billing Conductor doesn't change the way you're billed by Amazon Web Services each month by design. Instead, it provides you with a mechanism to configure, generate, and display rates to certain customers over a given billing period. You can also analyze the difference between the rates you apply to your accounting groupings relative to your actual rates from Amazon Web Services. As a result of your Amazon Web Services Billing Conductor configuration, the payer account can also see the custom rate applied on the billing details page of the Amazon Web Services Billing console, or configure a cost and usage report per billing group.

This documentation shows how you can configure Amazon Web Services Billing Conductor using its API. For more information about using the Amazon Web Services Billing Conductor user interface, see the [Amazon Web Services Billing Conductor User Guide](#).

## Usage

```
billingconductor(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

## Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- \* **access\_key\_id:** AWS access key ID
- \* **secret\_access\_key:** AWS secret access key
- \* **session\_token:** AWS temporary session token

	<ul style="list-style-type: none"> <li>– <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous</b>: Set anonymous credentials.</li> <li>• <b>endpoint</b>: The complete URL to use for the constructed client.</li> <li>• <b>region</b>: The AWS Region used in instantiating the client.</li> <li>• <b>close_connection</b>: Immediately close all HTTP connections.</li> <li>• <b>timeout</b>: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style</b>: Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint</b>: Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds</b>: <ul style="list-style-type: none"> <li>– <b>access_key_id</b>: AWS access key ID</li> <li>– <b>secret_access_key</b>: AWS secret access key</li> <li>– <b>session_token</b>: AWS temporary session token</li> </ul> </li> <li>• <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous</b>: Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

### Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

### Service syntax

```
svc <- billingconductor(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
```

```

        timeout = "numeric",
        s3_force_path_style = "logical",
        sts_regional_endpoint = "string"
    ),
    credentials = list(
        creds = list(
            access_key_id = "string",
            secret_access_key = "string",
            session_token = "string"
        ),
        profile = "string",
        anonymous = "logical"
    ),
    endpoint = "string",
    region = "string"
)

```

## Operations

<a href="#">associate_accounts</a>	Connects an array of account IDs in a consolidated billing family to a consolidated billing family.
<a href="#">associate_pricing_rules</a>	Connects an array of PricingRuleArns to a defined PricingPlan.
<a href="#">batch_associate_resources_to_custom_line_item</a>	Associates a batch of resources to a percentage custom line item.
<a href="#">batch_disassociate_resources_from_custom_line_item</a>	Disassociates a batch of resources from a percentage custom line item.
<a href="#">create_billing_group</a>	Creates a billing group that resembles a consolidated billing family.
<a href="#">create_custom_line_item</a>	Creates a custom line item that can be used to create a one-time fixed price custom line item.
<a href="#">create_pricing_plan</a>	Creates a pricing plan that is used for computing Amazon Web Services charges.
<a href="#">create_pricing_rule</a>	Creates a pricing rule that can be associated to a pricing plan, or a set of pricing rules.
<a href="#">delete_billing_group</a>	Deletes a billing group.
<a href="#">delete_custom_line_item</a>	Deletes the custom line item identified by the given ARN in the current billing group.
<a href="#">delete_pricing_plan</a>	Deletes a pricing plan.
<a href="#">delete_pricing_rule</a>	Deletes the pricing rule that's identified by the input Amazon Resource Name (ARN).
<a href="#">disassociate_accounts</a>	Removes the specified list of account IDs from the given billing group.
<a href="#">disassociate_pricing_rules</a>	Disassociates a list of pricing rules from a pricing plan.
<a href="#">get_billing_group_cost_report</a>	Retrieves the margin summary report, which includes the Amazon Web Services charges for the billing group.
<a href="#">list_account_associations</a>	This is a paginated call to list linked accounts that are linked to the parent account.
<a href="#">list_billing_group_cost_reports</a>	A paginated call to retrieve a summary report of actual Amazon Web Services charges for the billing group.
<a href="#">list_billing_groups</a>	A paginated call to retrieve a list of billing groups for the given billing period.
<a href="#">list_custom_line_items</a>	A paginated call to get a list of all custom line items (FFLIs) for the given billing group.
<a href="#">list_custom_line_item_versions</a>	A paginated call to get a list of all custom line item versions for the given billing group.
<a href="#">list_pricing_plans</a>	A paginated call to get pricing plans for the given billing period.
<a href="#">list_pricing_plans_associated_with_pricing_rule</a>	A list of the pricing plans that are associated with a pricing rule.
<a href="#">list_pricing_rules</a>	Describes a pricing rule that can be associated to a pricing plan, or a set of pricing rules.
<a href="#">list_pricing_rules_associated_to_pricing_plan</a>	Lists the pricing rules that are associated with a pricing plan.
<a href="#">list_resources_associated_to_custom_line_item</a>	List the resources that are associated to a custom line item.
<a href="#">list_tags_for_resource</a>	A list the tags for a resource.
<a href="#">tag_resource</a>	Associates the specified tags to a resource with the specified resource ID.
<a href="#">untag_resource</a>	Deletes specified tags from a resource.
<a href="#">update_billing_group</a>	This updates an existing billing group.

[update\\_custom\\_line\\_item](#)  
[update\\_pricing\\_plan](#)  
[update\\_pricing\\_rule](#)

Update an existing custom line item in the current or previous billing cycle.  
 This updates an existing pricing plan.  
 Updates an existing pricing rule.

## Examples

```

## Not run:
svc <- billingconductor()
svc$associate_accounts(
  Foo = 123
)

## End(Not run)
  
```

---

budgets

*AWS Budgets*

---

## Description

Use the Amazon Web Services Budgets API to plan your service usage, service costs, and instance reservations. This API reference provides descriptions, syntax, and usage examples for each of the actions and data types for the Amazon Web Services Budgets feature.

Budgets provide you with a way to see the following information:

- How close your plan is to your budgeted amount or to the free tier limits
- Your usage-to-date, including how much you've used of your Reserved Instances (RIs)
- Your current estimated charges from Amazon Web Services, and how much your predicted usage will accrue in charges by the end of the month
- How much of your budget has been used

Amazon Web Services updates your budget status several times a day. Budgets track your unblended costs, subscriptions, refunds, and RIs. You can create the following types of budgets:

- **Cost budgets** - Plan how much you want to spend on a service.
- **Usage budgets** - Plan how much you want to use one or more services.
- **RI utilization budgets** - Define a utilization threshold, and receive alerts when your RI usage falls below that threshold. This lets you see if your RIs are unused or under-utilized.
- **RI coverage budgets** - Define a coverage threshold, and receive alerts when the number of your instance hours that are covered by RIs fall below that threshold. This lets you see how much of your instance usage is covered by a reservation.

Service Endpoint

The Amazon Web Services Budgets API provides the following endpoint:



- <https://budgets.amazonaws.com>

For information about costs that are associated with the Amazon Web Services Budgets API, see [Amazon Web Services Cost Management Pricing](#).

## Usage

```
budgets(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

## Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

## Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

**Service syntax**

```

svc <- budgets(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

**Operations**

<a href="#">create_budget</a>	Creates a budget and, if included, notifications and subscribers
<a href="#">create_budget_action</a>	Creates a budget action
<a href="#">create_notification</a>	Creates a notification
<a href="#">create_subscriber</a>	Creates a subscriber
<a href="#">delete_budget</a>	Deletes a budget
<a href="#">delete_budget_action</a>	Deletes a budget action
<a href="#">delete_notification</a>	Deletes a notification
<a href="#">delete_subscriber</a>	Deletes a subscriber
<a href="#">describe_budget</a>	Describes a budget
<a href="#">describe_budget_action</a>	Describes a budget action detail
<a href="#">describe_budget_action_histories</a>	Describes a budget action history detail
<a href="#">describe_budget_actions_for_account</a>	Describes all of the budget actions for an account
<a href="#">describe_budget_actions_for_budget</a>	Describes all of the budget actions for a budget

<a href="#">describe_budget_notifications_for_account</a>	Lists the budget names and notifications that are associated with an account
<a href="#">describe_budget_performance_history</a>	Describes the history for DAILY, MONTHLY, and QUARTERLY budgets
<a href="#">describe_budgets</a>	Lists the budgets that are associated with an account
<a href="#">describe_notifications_for_budget</a>	Lists the notifications that are associated with a budget
<a href="#">describe_subscribers_for_notification</a>	Lists the subscribers that are associated with a notification
<a href="#">execute_budget_action</a>	Executes a budget action
<a href="#">list_tags_for_resource</a>	Lists tags associated with a budget or budget action resource
<a href="#">tag_resource</a>	Creates tags for a budget or budget action resource
<a href="#">untag_resource</a>	Deletes tags associated with a budget or budget action resource
<a href="#">update_budget</a>	Updates a budget
<a href="#">update_budget_action</a>	Updates a budget action
<a href="#">update_notification</a>	Updates a notification
<a href="#">update_subscriber</a>	Updates a subscriber

## Examples

```
## Not run:
svc <- budgets()
svc$create_budget(
  Foo = 123
)

## End(Not run)
```

---

costandusagereportservice

*AWS Cost and Usage Report Service*

---

## Description

You can use the Amazon Web Services Cost and Usage Report API to programmatically create, query, and delete Amazon Web Services Cost and Usage Report definitions.

Amazon Web Services Cost and Usage Report track the monthly Amazon Web Services costs and usage associated with your Amazon Web Services account. The report contains line items for each unique combination of Amazon Web Services product, usage type, and operation that your Amazon Web Services account uses. You can configure the Amazon Web Services Cost and Usage Report to show only the data that you want, using the Amazon Web Services Cost and Usage Report API.

Service Endpoint

The Amazon Web Services Cost and Usage Report API provides the following endpoint:

- [cur.us-east-1.amazonaws.com](https://cur.us-east-1.amazonaws.com)

**Usage**

```
costandusagereportservice(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

**Arguments**

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

**Value**

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

**Service syntax**

```

svc <- costandusagereportservice(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

**Operations**

<a href="#">delete_report_definition</a>	Deletes the specified report
<a href="#">describe_report_definitions</a>	Lists the Amazon Web Services Cost and Usage Report available to this account
<a href="#">list_tags_for_resource</a>	Lists the tags associated with the specified report definition
<a href="#">modify_report_definition</a>	Allows you to programmatically update your report preferences
<a href="#">put_report_definition</a>	Creates a new report using the description that you provide
<a href="#">tag_resource</a>	Associates a set of tags with a report definition
<a href="#">untag_resource</a>	Disassociates a set of tags from a report definition

**Examples**

```

## Not run:
svc <- costandusagereportservice()

```

```
# The following example deletes the AWS Cost and Usage report named
# ExampleReport.
svc$delete_report_definition(
  ReportName = "ExampleReport"
)

## End(Not run)
```

---

 costexplorer

*AWS Cost Explorer Service*


---

## Description

You can use the Cost Explorer API to programmatically query your cost and usage data. You can query for aggregated data such as total monthly costs or total daily usage. You can also query for granular data. This might include the number of daily write operations for Amazon DynamoDB database tables in your production environment.

### Service Endpoint

The Cost Explorer API provides the following endpoint:

- <https://ce.us-east-1.amazonaws.com>

For information about the costs that are associated with the Cost Explorer API, see [Amazon Web Services Cost Management Pricing](#).

## Usage

```
costexplorer(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

## Arguments

- |        |  |
|--------|--|
| config | Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> </ul> |
|--------|--|

	<ul style="list-style-type: none"> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

## Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

## Service syntax

```
svc <- costexplorer(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
```

```

credentials = list(
  creds = list(
    access_key_id = "string",
    secret_access_key = "string",
    session_token = "string"
  ),
  profile = "string",
  anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

## Operations

<a href="#">create_anomaly_monitor</a>	Creates a new cost anomaly detection monitor with the requested name and rules
<a href="#">create_anomaly_subscription</a>	Adds an alert subscription to a cost anomaly detection monitor
<a href="#">create_cost_category_definition</a>	Creates a new Cost Category with the requested name and rules
<a href="#">delete_anomaly_monitor</a>	Deletes a cost anomaly monitor
<a href="#">delete_anomaly_subscription</a>	Deletes a cost anomaly subscription
<a href="#">delete_cost_category_definition</a>	Deletes a Cost Category
<a href="#">describe_cost_category_definition</a>	Returns the name, Amazon Resource Name (ARN), rules, definition, and other details for a Cost Category
<a href="#">get_anomalies</a>	Retrieves all of the cost anomalies detected on your account during the specified time period
<a href="#">get_anomaly_monitors</a>	Retrieves the cost anomaly monitor definitions for your account
<a href="#">get_anomaly_subscriptions</a>	Retrieves the cost anomaly subscription objects for your account
<a href="#">get_approximate_usage_records</a>	Retrieves estimated usage records for hourly granularity or resource-level granularity
<a href="#">get_commitment_purchase_analysis</a>	Retrieves a commitment purchase analysis result based on the Amazon Resource Name (ARN) of the commitment purchase
<a href="#">get_cost_and_usage</a>	Retrieves cost and usage metrics for your account
<a href="#">get_cost_and_usage_with_resources</a>	Retrieves cost and usage metrics with resources for your account
<a href="#">get_cost_categories</a>	Retrieves an array of Cost Category names and values incurred during the specified time period
<a href="#">get_cost_forecast</a>	Retrieves a forecast for how much Amazon Web Services predicted usage will be incurred during the specified time period
<a href="#">get_dimension_values</a>	Retrieves all available filter values for a specified filter over a period of time
<a href="#">get_reservation_coverage</a>	Retrieves the reservation coverage for your account, which you can use to identify reservation opportunities
<a href="#">get_reservation_purchase_recommendation</a>	Gets recommendations for reservation purchases
<a href="#">get_reservation_utilization</a>	Retrieves the reservation utilization for your account
<a href="#">get_rightsizing_recommendation</a>	Creates recommendations that help you save cost by identifying underutilized resources
<a href="#">get_savings_plan_purchase_recommendation_details</a>	Retrieves the details for a Savings Plan recommendation
<a href="#">get_savings_plans_coverage</a>	Retrieves the Savings Plans covered for your account
<a href="#">get_savings_plans_purchase_recommendation</a>	Retrieves the Savings Plans recommendations for your account
<a href="#">get_savings_plans_utilization</a>	Retrieves the Savings Plans utilization for your account across all regions
<a href="#">get_savings_plans_utilization_details</a>	Retrieves attribute data along with aggregate utilization and savings plan details for a specified Savings Plan
<a href="#">get_tags</a>	Queries for available tag keys and tag values for a specified period of time
<a href="#">get_usage_forecast</a>	Retrieves a forecast for how much Amazon Web Services predicted usage will be incurred during the specified time period
<a href="#">list_commitment_purchase_analyses</a>	Lists the commitment purchase analyses for your account
<a href="#">list_cost_allocation_tag_backfill_history</a>	Retrieves a list of your historical cost allocation tag backfill requests
<a href="#">list_cost_allocation_tags</a>	Get a list of cost allocation tags
<a href="#">list_cost_category_definitions</a>	Returns the name, Amazon Resource Name (ARN), NumberOfRules, and other details for a Cost Category
<a href="#">list_savings_plans_purchase_recommendation_generation</a>	Retrieves a list of your historical recommendation generations



<a href="#">list_tags_for_resource</a>	Returns a list of resource tags associated with the resource specified
<a href="#">provide_anomaly_feedback</a>	Modifies the feedback property of a given cost anomaly
<a href="#">start_commitment_purchase_analysis</a>	Specifies the parameters of a planned commitment purchase analysis
<a href="#">start_cost_allocation_tag_backfill</a>	Request a cost allocation tag backfill
<a href="#">start_savings_plans_purchase_recommendation_generation</a>	Requests a Savings Plans recommendation generation
<a href="#">tag_resource</a>	An API operation for adding one or more tags (key-value pairs) to a resource
<a href="#">untag_resource</a>	Removes one or more tags from a resource
<a href="#">update_anomaly_monitor</a>	Updates an existing cost anomaly monitor
<a href="#">update_anomaly_subscription</a>	Updates an existing cost anomaly subscription
<a href="#">update_cost_allocation_tags_status</a>	Updates status for cost allocation tags in bulk, with maximum batch size
<a href="#">update_cost_category_definition</a>	Updates an existing Cost Category

## Examples

```
## Not run:
svc <- costexplorer()
svc$create_anomaly_monitor(
  Foo = 123
)

## End(Not run)
```

---

marketplacecatalog      *AWS Marketplace Catalog Service*

---

## Description

Catalog API actions allow you to manage your entities through list, describe, and update capabilities. An entity can be a product or an offer on AWS Marketplace.

You can automate your entity update process by integrating the AWS Marketplace Catalog API with your AWS Marketplace product build or deployment pipelines. You can also create your own applications on top of the Catalog API to manage your products on AWS Marketplace.

## Usage

```
marketplacecatalog(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

## Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

## Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

## Service syntax

```
svc <- marketplacecatalog(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
  creds = list(
    access_key_id = "string",
    secret_access_key = "string",
    session_token = "string"
  ),
  profile = "string",
  anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

## Operations

<a href="#">batch_describe_entities</a>	Returns metadata and content for multiple entities
<a href="#">cancel_change_set</a>	Used to cancel an open change request
<a href="#">delete_resource_policy</a>	Deletes a resource-based policy on an entity that is identified by its resource ARN
<a href="#">describe_change_set</a>	Provides information about a given change set
<a href="#">describe_entity</a>	Returns the metadata and content of the entity
<a href="#">get_resource_policy</a>	Gets a resource-based policy of an entity that is identified by its resource ARN
<a href="#">list_change_sets</a>	Returns the list of change sets owned by the account being used to make the call
<a href="#">list_entities</a>	Provides the list of entities of a given type
<a href="#">list_tags_for_resource</a>	Lists all tags that have been added to a resource (either an entity or change set)
<a href="#">put_resource_policy</a>	Attaches a resource-based policy to an entity
<a href="#">start_change_set</a>	Allows you to request changes for your entities
<a href="#">tag_resource</a>	Tags a resource (either an entity or change set)
<a href="#">untag_resource</a>	Removes a tag or list of tags from a resource (either an entity or change set)

## Examples

```

## Not run:
svc <- marketplacecatalog()

```

```

svc$batch_describe_entities(
  Foo = 123
)

## End(Not run)

```

---

marketplacecommerceanalytics

*AWS Marketplace Commerce Analytics*

---

## Description

Provides AWS Marketplace business intelligence data on-demand.

## Usage

```

marketplacecommerceanalytics(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)

```

## Arguments

config

Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- \* **access\_key\_id:** AWS access key ID
- \* **secret\_access\_key:** AWS secret access key
- \* **session\_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close\_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3\_force\_path\_style:** Set this to true to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts\_regional\_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

### Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

### Service syntax

```
svc <- marketplacecommerceanalytics(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
```

```
    region = "string"
  )
```

## Operations

[generate\\_data\\_set](#) Given a data set type and data set publication date, asynchronously publishes the requested data s  
[start\\_support\\_data\\_export](#) This target has been deprecated

## Examples

```
## Not run:
svc <- marketplacecommerceanalytics()
svc$generate_data_set(
  Foo = 123
)

## End(Not run)
```

---

```
marketplaceentitlementservice
    AWS Marketplace Entitlement Service
```

---

## Description

This reference provides descriptions of the AWS Marketplace Entitlement Service API.

AWS Marketplace Entitlement Service is used to determine the entitlement of a customer to a given product. An entitlement represents capacity in a product owned by the customer. For example, a customer might own some number of users or seats in an SaaS application or some amount of data capacity in a multi-tenant database.

### Getting Entitlement Records

- *GetEntitlements*- Gets the entitlements for a Marketplace product.

## Usage

```
marketplaceentitlementservice(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

## Arguments

config	Optional configuration of credentials, endpoint, and/or region. <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

## Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

## Service syntax

```
svc <- marketplaceentitlementservice(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string",
close_connection = "logical",
timeout = "numeric",
s3_force_path_style = "logical",
sts_regional_endpoint = "string"
),
credentials = list(
  creds = list(
    access_key_id = "string",
    secret_access_key = "string",
    session_token = "string"
  ),
  profile = "string",
  anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

## Operations

[get\\_entitlements](#) GetEntitlements retrieves entitlement values for a given product

## Examples

```

## Not run:
svc <- marketplaceentitlementservice()
svc$get_entitlements(
  Foo = 123
)

## End(Not run)

```



**Description**

AWS Marketplace Metering Service

This reference provides descriptions of the low-level AWS Marketplace Metering Service API.

AWS Marketplace sellers can use this API to submit usage data for custom usage dimensions.

For information on the permissions you need to use this API, see [AWS Marketplace metering and entitlement API permissions](#) in the *AWS Marketplace Seller Guide*.

**Submitting Metering Records**

- *MeterUsage* - Submits the metering record for an AWS Marketplace product. `meter_usage` is called from an EC2 instance or a container running on EKS or ECS.
- *BatchMeterUsage* - Submits the metering record for a set of customers. `batch_meter_usage` is called from a software-as-a-service (SaaS) application.

**Accepting New Customers**

- *ResolveCustomer* - Called by a SaaS application during the registration process. When a buyer visits your website during the registration process, the buyer submits a Registration Token through the browser. The Registration Token is resolved through this API to obtain a CustomerIdentifier along with the CustomerAWSAccountId and ProductCode.

**Entitlement and Metering for Paid Container Products**

- Paid container software products sold through AWS Marketplace must integrate with the AWS Marketplace Metering Service and call the `register_usage` operation for software entitlement and metering. Free and BYOL products for Amazon ECS or Amazon EKS aren't required to call `register_usage`, but you can do so if you want to receive usage data in your seller reports. For more information on using the `register_usage` operation, see [Container-Based Products](#).

`batch_meter_usage` API calls are captured by AWS CloudTrail. You can use Cloudtrail to verify that the SaaS metering records that you sent are accurate by searching for records with the eventName of `batch_meter_usage`. You can also use CloudTrail to audit records over time. For more information, see the *AWS CloudTrail User Guide*.

**Usage**

```
marketplacemetering(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

**Arguments**

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

	<ul style="list-style-type: none"> <li>* <b>access_key_id</b>: AWS access key ID</li> <li>* <b>secret_access_key</b>: AWS secret access key</li> <li>* <b>session_token</b>: AWS temporary session token</li> <li>– <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous</b>: Set anonymous credentials.</li> <li>• <b>endpoint</b>: The complete URL to use for the constructed client.</li> <li>• <b>region</b>: The AWS Region used in instantiating the client.</li> <li>• <b>close_connection</b>: Immediately close all HTTP connections.</li> <li>• <b>timeout</b>: The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style</b>: Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint</b>: Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds</b>: <ul style="list-style-type: none"> <li>– <b>access_key_id</b>: AWS access key ID</li> <li>– <b>secret_access_key</b>: AWS secret access key</li> <li>– <b>session_token</b>: AWS temporary session token</li> </ul> </li> <li>• <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous</b>: Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

## Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

## Service syntax

```
svc <- marketplacemetering(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
```

```

    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

## Operations

<a href="#">batch_meter_usage</a>	BatchMeterUsage is called from a SaaS application listed on AWS Marketplace to post metering records
<a href="#">meter_usage</a>	API to emit metering records
<a href="#">register_usage</a>	Paid container software products sold through AWS Marketplace must integrate with the AWS Marketplace
<a href="#">resolve_customer</a>	ResolveCustomer is called by a SaaS application during the registration process

## Examples

```

## Not run:
svc <- marketplacemetering()
svc$batch_meter_usage(
  Foo = 123
)

## End(Not run)

```

## Description

Amazon Web Services Payment Cryptography Control Plane APIs manage encryption keys for use during payment-related cryptographic operations. You can create, import, export, share, manage, and delete keys. You can also manage Identity and Access Management (IAM) policies for keys. For more information, see [Identity and access management](#) in the *Amazon Web Services Payment Cryptography User Guide*.

To use encryption keys for payment-related transaction processing and associated cryptographic operations, you use the [Amazon Web Services Payment Cryptography Data Plane](#). You can perform actions like encrypt, decrypt, generate, and verify payment-related data.

All Amazon Web Services Payment Cryptography API calls must be signed and transmitted using Transport Layer Security (TLS). We recommend you always use the latest supported TLS version for logging API requests.

Amazon Web Services Payment Cryptography supports CloudTrail for control plane operations, a service that logs Amazon Web Services API calls and related events for your Amazon Web Services account and delivers them to an Amazon S3 bucket you specify. By using the information collected by CloudTrail, you can determine what requests were made to Amazon Web Services Payment Cryptography, who made the request, when it was made, and so on. If you don't configure a trail, you can still view the most recent events in the CloudTrail console. For more information, see the [CloudTrail User Guide](#).

## Usage

```
paymentcryptograpycontrolplane(
    config = list(),
    credentials = list(),
    endpoint = NULL,
    region = NULL
)
```

## Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
  - **creds:**
    - \* **access\_key\_id:** AWS access key ID
    - \* **secret\_access\_key:** AWS secret access key
    - \* **session\_token:** AWS temporary session token
  - **profile:** The name of a profile to use. If not given, then the default profile is used.
  - **anonymous:** Set anonymous credentials.
- **endpoint:** The complete URL to use for the constructed client.
- **region:** The AWS Region used in instantiating the client.
- **close\_connection:** Immediately close all HTTP connections.
- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3\_force\_path\_style**: Set this to true to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.
- **sts\_regional\_endpoint**: Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

credentials	Optional credentials shorthand for the config parameter
	<ul style="list-style-type: none"> <li>• <b>creds</b>:           <ul style="list-style-type: none"> <li>– <b>access_key_id</b>: AWS access key ID</li> <li>– <b>secret_access_key</b>: AWS secret access key</li> <li>– <b>session_token</b>: AWS temporary session token</li> </ul> </li> <li>• <b>profile</b>: The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous</b>: Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

### Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

### Service syntax

```
svc <- paymentcryptographycontrolplane(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    )
  )
)
```

```

    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)

```

## Operations

<a href="#">create_alias</a>	Creates an alias, or a friendly name, for an Amazon Web Services Payment Cryptography key
<a href="#">create_key</a>	Creates an Amazon Web Services Payment Cryptography key, a logical representation of a cryptog
<a href="#">delete_alias</a>	Deletes the alias, but doesn't affect the underlying key
<a href="#">delete_key</a>	Deletes the key material and metadata associated with Amazon Web Services Payment Cryptograp
<a href="#">export_key</a>	Exports a key from Amazon Web Services Payment Cryptography
<a href="#">get_alias</a>	Gets the Amazon Web Services Payment Cryptography key associated with the alias
<a href="#">get_key</a>	Gets the key material for an Amazon Web Services Payment Cryptography key, including the im
<a href="#">get_parameters_for_export</a>	Gets the export token and the signing key certificate to initiate a TR-34 key export from Amazon
<a href="#">get_parameters_for_import</a>	Gets the import token and the wrapping key certificate in PEM format (base64 encoded) to initia
<a href="#">get_public_key_certificate</a>	Gets the public key certificate of the asymmetric key pair that exists within Amazon Web Servic
<a href="#">import_key</a>	Imports symmetric keys and public key certificates in PEM format (base64 encoded) into Amaz
<a href="#">list_aliases</a>	Lists the aliases for all keys in the caller's Amazon Web Services account and Amazon Web Ser
<a href="#">list_keys</a>	Lists the keys in the caller's Amazon Web Services account and Amazon Web Services Region
<a href="#">list_tags_for_resource</a>	Lists the tags for an Amazon Web Services resource
<a href="#">restore_key</a>	Cancels a scheduled key deletion during the waiting period
<a href="#">start_key_usage</a>	Enables an Amazon Web Services Payment Cryptography key, which makes it active for cryptog
<a href="#">stop_key_usage</a>	Disables an Amazon Web Services Payment Cryptography key, which makes it inactive within A
<a href="#">tag_resource</a>	Adds or edits tags on an Amazon Web Services Payment Cryptography key
<a href="#">untag_resource</a>	Deletes a tag from an Amazon Web Services Payment Cryptography key
<a href="#">update_alias</a>	Associates an existing Amazon Web Services Payment Cryptography alias with a different key

## Examples

```

## Not run:
svc <- paymentcryptographycontrolplane()
svc$create_alias(
  Foo = 123
)

## End(Not run)

```

---

 paymentcryptographydataplane

*Payment Cryptography Data Plane*


---

## Description

You use the Amazon Web Services Payment Cryptography Data Plane to manage how encryption keys are used for payment-related transaction processing and associated cryptographic operations. You can encrypt, decrypt, generate, verify, and translate payment-related cryptographic operations in Amazon Web Services Payment Cryptography. For more information, see [Data operations](#) in the *Amazon Web Services Payment Cryptography User Guide*.

To manage your encryption keys, you use the [Amazon Web Services Payment Cryptography Control Plane](#). You can create, import, export, share, manage, and delete keys. You can also manage Identity and Access Management (IAM) policies for keys.

## Usage

```
paymentcryptographydataplane(
    config = list(),
    credentials = list(),
    endpoint = NULL,
    region = NULL
)
```

## Arguments

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**

- **creds:**

- \* **access\_key\_id:** AWS access key ID
- \* **secret\_access\_key:** AWS secret access key
- \* **session\_token:** AWS temporary session token

- **profile:** The name of a profile to use. If not given, then the default profile is used.

- **anonymous:** Set anonymous credentials.

- **endpoint:** The complete URL to use for the constructed client.

- **region:** The AWS Region used in instantiating the client.

- **close\_connection:** Immediately close all HTTP connections.

- **timeout:** The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.

- **s3\_force\_path\_style:** Set this to `true` to force the request to use path-style addressing, i.e. `http://s3.amazonaws.com/BUCKET/KEY`.

- **sts\_regional\_endpoint:** Set sts regional endpoint resolver to regional or legacy <https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html>

credentials	Optional credentials shorthand for the config parameter <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

### Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

### Service syntax

```
svc <- paymentcryptographypdataplane(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
```



```

    region = "string"
)

```

## Operations

<a href="#">decrypt_data</a>	Decrypts ciphertext data to plaintext using a symmetric (TDES, AES), asymmetric (RSA),
<a href="#">encrypt_data</a>	Encrypts plaintext data to ciphertext using a symmetric (TDES, AES), asymmetric (RSA),
<a href="#">generate_card_validation_data</a>	Generates card-related validation data using algorithms such as Card Verification Values (CVV),
<a href="#">generate_mac</a>	Generates a Message Authentication Code (MAC) cryptogram within Amazon Web Services,
<a href="#">generate_mac_emv_pin_change</a>	Generates an issuer script mac for EMV payment cards that use offline PINs as the cardholder's PIN,
<a href="#">generate_pin_data</a>	Generates pin-related data such as PIN, PIN Verification Value (PVV), PIN Block, and PIN Offset,
<a href="#">re_encrypt_data</a>	Re-encrypt ciphertext using DUKPT or Symmetric data encryption keys
<a href="#">translate_pin_data</a>	Translates encrypted PIN block from and to ISO 9564 formats 0,1,3,4
<a href="#">verify_auth_request_cryptogram</a>	Verifies Authorization Request Cryptogram (ARQC) for a EMV chip payment card authorization,
<a href="#">verify_card_validation_data</a>	Verifies card-related validation data using algorithms such as Card Verification Values (CVV),
<a href="#">verify_mac</a>	Verifies a Message Authentication Code (MAC)
<a href="#">verify_pin_data</a>	Verifies pin-related data such as PIN and PIN Offset using algorithms including VISA PVV,

## Examples

```

## Not run:
svc <- paymentcryptographypdataplane()
svc$decrypt_data(
  Foo = 123
)

## End(Not run)

```

---

pricing

AWS Price List Service

---

## Description

The Amazon Web Services Price List API is a centralized and convenient way to programmatically query Amazon Web Services for services, products, and pricing information. The Amazon Web Services Price List uses standardized product attributes such as Location, Storage Class, and Operating System, and provides prices at the SKU level. You can use the Amazon Web Services Price List to do the following:

- Build cost control and scenario planning tools
- Reconcile billing data
- Forecast future spend for budgeting purposes
- Provide cost benefit analysis that compare your internal workloads with Amazon Web Services

Use `GetServices` without a service code to retrieve the service codes for all Amazon Web Services services, then `GetServices` with a service code to retrieve the attribute names for that service. After you have the service code and attribute names, you can use `get_attribute_values` to see what values are available for an attribute. With the service code and an attribute name and value, you can use `get_products` to find specific products that you're interested in, such as an AmazonEC2 instance, with a Provisioned IOPS volumeType.

For more information, see [Using the Amazon Web Services Price List API](#) in the *Billing User Guide*.

## Usage

```
pricing(config = list(), credentials = list(), endpoint = NULL, region = NULL)
```

## Arguments

config	<p>Optional configuration of credentials, endpoint, and/or region.</p> <ul style="list-style-type: none"> <li>• <b>credentials:</b> <ul style="list-style-type: none"> <li>– <b>creds:</b> <ul style="list-style-type: none"> <li>* <b>access_key_id:</b> AWS access key ID</li> <li>* <b>secret_access_key:</b> AWS secret access key</li> <li>* <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>– <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>– <b>anonymous:</b> Set anonymous credentials.</li> </ul> </li> <li>• <b>endpoint:</b> The complete URL to use for the constructed client.</li> <li>• <b>region:</b> The AWS Region used in instantiating the client.</li> <li>• <b>close_connection:</b> Immediately close all HTTP connections.</li> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to <code>true</code> to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

**Value**

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

**Service syntax**

```
svc <- pricing(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
      secret_access_key = "string",
      session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
  ),
  endpoint = "string",
  region = "string"
)
```

**Operations**

<a href="#">describe_services</a>	Returns the metadata for one service or a list of the metadata for all services
<a href="#">get_attribute_values</a>	Returns a list of attribute values
<a href="#">get_price_list_file_url</a>	This feature is in preview release and is subject to change
<a href="#">get_products</a>	Returns a list of all products that match the filter criteria
<a href="#">list_price_lists</a>	This feature is in preview release and is subject to change

**Examples**

```
## Not run:
svc <- pricing()
# Retrieves the service for the given Service Code.
svc$describe_services(
  FormatVersion = "aws_v1",
  MaxResults = 1L,
  ServiceCode = "AmazonEC2"
)

## End(Not run)
```

---

savingsplans

*AWS Savings Plans*


---

**Description**

Savings Plans are a pricing model that offer significant savings on Amazon Web Services usage (for example, on Amazon EC2 instances). You commit to a consistent amount of usage per hour, in the specified currency, for a term of one or three years, and receive a lower price for that usage. For more information, see the [Amazon Web Services Savings Plans User Guide](#).

**Usage**

```
savingsplans(
  config = list(),
  credentials = list(),
  endpoint = NULL,
  region = NULL
)
```

**Arguments**

`config` Optional configuration of credentials, endpoint, and/or region.

- **credentials:**
  - **creds:**
    - \* **access\_key\_id:** AWS access key ID
    - \* **secret\_access\_key:** AWS secret access key
    - \* **session\_token:** AWS temporary session token
  - **profile:** The name of a profile to use. If not given, then the default profile is used.
  - **anonymous:** Set anonymous credentials.
- **endpoint:** The complete URL to use for the constructed client.
- **region:** The AWS Region used in instantiating the client.
- **close\_connection:** Immediately close all HTTP connections.

	<ul style="list-style-type: none"> <li>• <b>timeout:</b> The time in seconds till a timeout exception is thrown when attempting to make a connection. The default is 60 seconds.</li> <li>• <b>s3_force_path_style:</b> Set this to true to force the request to use path-style addressing, i.e. <code>http://s3.amazonaws.com/BUCKET/KEY</code>.</li> <li>• <b>sts_regional_endpoint:</b> Set sts regional endpoint resolver to regional or legacy <a href="https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html">https://docs.aws.amazon.com/sdkref/latest/guide/feature-sts-regionalized-endpoint.html</a></li> </ul>
credentials	<p>Optional credentials shorthand for the config parameter</p> <ul style="list-style-type: none"> <li>• <b>creds:</b> <ul style="list-style-type: none"> <li>– <b>access_key_id:</b> AWS access key ID</li> <li>– <b>secret_access_key:</b> AWS secret access key</li> <li>– <b>session_token:</b> AWS temporary session token</li> </ul> </li> <li>• <b>profile:</b> The name of a profile to use. If not given, then the default profile is used.</li> <li>• <b>anonymous:</b> Set anonymous credentials.</li> </ul>
endpoint	Optional shorthand for complete URL to use for the constructed client.
region	Optional shorthand for AWS Region used in instantiating the client.

## Value

A client for the service. You can call the service's operations using syntax like `svc$operation(...)`, where `svc` is the name you've assigned to the client. The available operations are listed in the Operations section.

## Service syntax

```
svc <- savingsplans(
  config = list(
    credentials = list(
      creds = list(
        access_key_id = "string",
        secret_access_key = "string",
        session_token = "string"
      ),
      profile = "string",
      anonymous = "logical"
    ),
    endpoint = "string",
    region = "string",
    close_connection = "logical",
    timeout = "numeric",
    s3_force_path_style = "logical",
    sts_regional_endpoint = "string"
  ),
  credentials = list(
    creds = list(
      access_key_id = "string",
```

```

        secret_access_key = "string",
        session_token = "string"
    ),
    profile = "string",
    anonymous = "logical"
),
endpoint = "string",
region = "string"
)

```

## Operations

<a href="#">create_savings_plan</a>	Creates a Savings Plan
<a href="#">delete_queued_savings_plan</a>	Deletes the queued purchase for the specified Savings Plan
<a href="#">describe_savings_plan_rates</a>	Describes the rates for the specified Savings Plan
<a href="#">describe_savings_plans</a>	Describes the specified Savings Plans
<a href="#">describe_savings_plans_offering_rates</a>	Describes the offering rates for the specified Savings Plans
<a href="#">describe_savings_plans_offerings</a>	Describes the offerings for the specified Savings Plans
<a href="#">list_tags_for_resource</a>	Lists the tags for the specified resource
<a href="#">return_savings_plan</a>	Returns the specified Savings Plan
<a href="#">tag_resource</a>	Adds the specified tags to the specified resource
<a href="#">untag_resource</a>	Removes the specified tags from the specified resource

## Examples

```

## Not run:
svc <- savingsplans()
svc$create_savings_plan(
  Foo = 123
)

## End(Not run)

```

# Index

associate\_accounts, [7](#)  
associate\_pricing\_rules, [7](#)  
  
batch\_associate\_resources\_to\_custom\_line\_item, [7](#)  
batch\_describe\_entities, [19](#)  
batch\_disassociate\_resources\_from\_custom\_line\_item, [7](#)  
batch\_meter\_usage, [25, 27](#)  
billing, [2](#)  
billingconductor, [5](#)  
budgets, [8](#)  
  
cancel\_change\_set, [19](#)  
costandusagereportservice, [11](#)  
costexplorer, [14](#)  
create\_alias, [30](#)  
create\_anomaly\_monitor, [16](#)  
create\_anomaly\_subscription, [16](#)  
create\_billing\_group, [7](#)  
create\_billing\_view, [4](#)  
create\_budget, [10](#)  
create\_budget\_action, [10](#)  
create\_cost\_category\_definition, [16](#)  
create\_custom\_line\_item, [7](#)  
create\_key, [30](#)  
create\_notification, [10](#)  
create\_pricing\_plan, [7](#)  
create\_pricing\_rule, [7](#)  
create\_savings\_plan, [38](#)  
create\_subscriber, [10](#)  
  
decrypt\_data, [33](#)  
delete\_alias, [30](#)  
delete\_anomaly\_monitor, [16](#)  
delete\_anomaly\_subscription, [16](#)  
delete\_billing\_group, [7](#)  
delete\_billing\_view, [4](#)  
delete\_budget, [10](#)  
delete\_budget\_action, [10](#)  
  
delete\_cost\_category\_definition, [16](#)  
delete\_custom\_line\_item, [7](#)  
delete\_key, [30](#)  
delete\_notification, [10](#)  
delete\_pricing\_plan, [7](#)  
delete\_pricing\_rule, [7](#)  
delete\_queued\_savings\_plan, [38](#)  
delete\_report\_definition, [13](#)  
delete\_resource\_policy, [19](#)  
delete\_subscriber, [10](#)  
describe\_budget, [10](#)  
describe\_budget\_action, [10](#)  
describe\_budget\_action\_histories, [10](#)  
describe\_budget\_actions\_for\_account, [10](#)  
describe\_budget\_actions\_for\_budget, [10](#)  
describe\_budget\_notifications\_for\_account, [11](#)  
describe\_budget\_performance\_history, [11](#)  
describe\_budgets, [11](#)  
describe\_change\_set, [19](#)  
describe\_cost\_category\_definition, [16](#)  
describe\_entity, [19](#)  
describe\_notifications\_for\_budget, [11](#)  
describe\_report\_definitions, [13](#)  
describe\_savings\_plan\_rates, [38](#)  
describe\_savings\_plans, [38](#)  
describe\_savings\_plans\_offering\_rates, [38](#)  
describe\_savings\_plans\_offerings, [38](#)  
describe\_services, [35](#)  
describe\_subscribers\_for\_notification, [11](#)  
  
disassociate\_accounts, [7](#)  
disassociate\_pricing\_rules, [7](#)  
  
encrypt\_data, [33](#)  
execute\_budget\_action, [11](#)  
export\_key, [30](#)

- generate\_card\_validation\_data, [33](#)
- generate\_data\_set, [22](#)
- generate\_mac, [33](#)
- generate\_mac\_emv\_pin\_change, [33](#)
- generate\_pin\_data, [33](#)
- get\_alias, [30](#)
- get\_anomalies, [16](#)
- get\_anomaly\_monitors, [16](#)
- get\_anomaly\_subscriptions, [16](#)
- get\_approximate\_usage\_records, [16](#)
- get\_attribute\_values, [34](#), [35](#)
- get\_billing\_group\_cost\_report, [7](#)
- get\_billing\_view, [4](#)
- get\_commitment\_purchase\_analysis, [16](#)
- get\_cost\_and\_usage, [16](#)
- get\_cost\_and\_usage\_with\_resources, [16](#)
- get\_cost\_categories, [16](#)
- get\_cost\_forecast, [16](#)
- get\_dimension\_values, [16](#)
- get\_entitlements, [24](#)
- get\_key, [30](#)
- get\_parameters\_for\_export, [30](#)
- get\_parameters\_for\_import, [30](#)
- get\_price\_list\_file\_url, [35](#)
- get\_products, [34](#), [35](#)
- get\_public\_key\_certificate, [30](#)
- get\_reservation\_coverage, [16](#)
- get\_reservation\_purchase\_recommendation, [16](#)
- get\_reservation\_utilization, [16](#)
- get\_resource\_policy, [4](#), [19](#)
- get\_rightsizing\_recommendation, [16](#)
- get\_savings\_plan\_purchase\_recommendation\_details, [16](#)
- get\_savings\_plans\_coverage, [16](#)
- get\_savings\_plans\_purchase\_recommendation, [16](#)
- get\_savings\_plans\_utilization, [16](#)
- get\_savings\_plans\_utilization\_details, [16](#)
- get\_tags, [16](#)
- get\_usage\_forecast, [16](#)
- import\_key, [30](#)
- list\_account\_associations, [7](#)
- list\_aliases, [30](#)
- list\_billing\_group\_cost\_reports, [7](#)
- list\_billing\_groups, [7](#)
- list\_billing\_views, [4](#)
- list\_change\_sets, [19](#)
- list\_commitment\_purchase\_analyses, [16](#)
- list\_cost\_allocation\_tag\_backfill\_history, [16](#)
- list\_cost\_allocation\_tags, [16](#)
- list\_cost\_category\_definitions, [16](#)
- list\_custom\_line\_item\_versions, [7](#)
- list\_custom\_line\_items, [7](#)
- list\_entities, [19](#)
- list\_keys, [30](#)
- list\_price\_lists, [35](#)
- list\_pricing\_plans, [7](#)
- list\_pricing\_plans\_associated\_with\_pricing\_rule, [7](#)
- list\_pricing\_rules, [7](#)
- list\_pricing\_rules\_associated\_to\_pricing\_plan, [7](#)
- list\_resources\_associated\_to\_custom\_line\_item, [7](#)
- list\_savings\_plans\_purchase\_recommendation\_generation, [16](#)
- list\_source\_views\_for\_billing\_view, [4](#)
- list\_tags\_for\_resource, [4](#), [7](#), [11](#), [13](#), [17](#), [19](#), [30](#), [38](#)
- marketplacecatalog, [17](#)
- marketplacecommerceanalytics, [20](#)
- marketplaceentitlementservice, [22](#)
- marketplacemetering, [24](#)
- meter\_usage, [25](#), [27](#)
- modify\_report\_definition, [13](#)
- paymentcryptographycontrolplane, [27](#)
- paymentcryptographydataplane, [31](#)
- pricing, [33](#)
- provide\_anomaly\_feedback, [17](#)
- put\_report\_definition, [13](#)
- put\_resource\_policy, [19](#)
- re\_encrypt\_data, [33](#)
- register\_usage, [25](#), [27](#)
- resolve\_customer, [27](#)
- restore\_key, [30](#)
- return\_savings\_plan, [38](#)
- savingsplans, [36](#)
- start\_change\_set, [19](#)
- start\_commitment\_purchase\_analysis, [17](#)



start\_cost\_allocation\_tag\_backfill, [17](#)  
start\_key\_usage, [30](#)  
start\_savings\_plans\_purchase\_recommendation\_generation,  
[17](#)  
start\_support\_data\_export, [22](#)  
stop\_key\_usage, [30](#)

tag\_resource, [4](#), [7](#), [11](#), [13](#), [17](#), [19](#), [30](#), [38](#)  
translate\_pin\_data, [33](#)

untag\_resource, [4](#), [7](#), [11](#), [13](#), [17](#), [19](#), [30](#), [38](#)  
update\_alias, [30](#)  
update\_anomaly\_monitor, [17](#)  
update\_anomaly\_subscription, [17](#)  
update\_billing\_group, [7](#)  
update\_billing\_view, [4](#)  
update\_budget, [11](#)  
update\_budget\_action, [11](#)  
update\_cost\_allocation\_tags\_status, [17](#)  
update\_cost\_category\_definition, [17](#)  
update\_custom\_line\_item, [8](#)  
update\_notification, [11](#)  
update\_pricing\_plan, [8](#)  
update\_pricing\_rule, [8](#)  
update\_subscriber, [11](#)

verify\_auth\_request\_cryptogram, [33](#)  
verify\_card\_validation\_data, [33](#)  
verify\_mac, [33](#)  
verify\_pin\_data, [33](#)