

Package ‘fflr’

February 3, 2024

Title Retrieve ESPN Fantasy Football Data

Version 2.2.2

Description Format the raw data from the ESPN fantasy football API
<<https://fantasy.espn.com/apis/v3/games/ffl/>> as data frames.
Retrieve data on public leagues, rosters, athletes, and matches.

License MIT + file LICENSE

Depends R (>= 2.10)

Imports httr (>= 1.4.7), jsonlite (>= 1.8.7), stats, tibble (>= 3.2.1)

Suggests knitr (>= 1.34), rmarkdown (>= 2.11), spelling (>= 2.2),
testthat (>= 3.0.0), xml2 (>= 1.3.2)

VignetteBuilder knitr

Config/testthat/edition 3

Encoding UTF-8

Language en-US

LazyData true

RoxygenNote 7.2.3

NeedsCompilation no

Author Kiernan Nicholls [aut, cre, cph]

Maintainer Kiernan Nicholls <kiernann@protonmail.com>

Repository CRAN

Date/Publication 2024-02-03 05:00:02 UTC

R topics documented:

acquisition_settings	3
all_players	3
best_roster	4
combine_history	5
draft_recap	6
draft_settings	6

espn_games	7
ffl_id	8
ffl_info	9
ffl_seasons	9
finance_settings	10
league_info	11
league_members	11
league_messages	12
league_name	13
league_simulation	14
league_size	14
league_standings	15
league_status	16
league_teams	17
list_players	18
live_scoring	20
nfl_players	20
nfl_schedule	21
nfl_teams	22
opponent_ranks	22
player_acquire	23
player_info	24
player_news	24
player_outlook	25
pro_events	26
pro_schedule	26
pro_scores	27
recent_activity	27
roster_score	28
roster_settings	29
schedule_settings	30
scoring_settings	30
start_roster	31
stat_corrections	32
team_abbrev	32
team_roster	33
tidy_schedule	34
tidy_scores	35
trade_settings	36
transaction_counter	36

acquisition_settings *League waiver settings*

Description

The type, days, and details of a league waiver process.

Usage

```
acquisition_settings(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of waiver settings by season.

See Also

Other league settings functions: [draft_settings\(\)](#), [finance_settings\(\)](#), [league_info\(\)](#), [league_name\(\)](#), [league_size\(\)](#), [roster_settings\(\)](#), [schedule_settings\(\)](#), [scoring_settings\(\)](#), [trade_settings\(\)](#)

Examples

```
acquisition_settings(leagueId = "42654852")
```

all_players *All fantasy players (deprecated)*

Description

See [list_players\(\)](#).

Usage

```
all_players(...)
```

Arguments

... Arguments passed to the new `list_players()` function.

See Also

Other player functions: `list_players()`, `player_info()`, `player_news()`, `player_outlook()`, `recent_activity()`, `transaction_counter()`

Examples

```
## Not run:
all_players()

## End(Not run)
```

best_roster	<i>Sort the optimal fantasy roster</i>
-------------	--

Description

Uses the roster settings for each league to find the best possible combinations of players to score the most fantasy points.

Usage

```
best_roster(
  leagueId = ffl_id(),
  useScore = c("actualScore", "projectedScore"),
  scoringPeriodId = NULL,
  ...
)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
useScore	One of "projectedScore" or "actualScore" (default).
scoringPeriodId	Integer week of NFL season. By default, NULL will use the current week (see <code>ffl_week()</code>). Scoring periods are always one week in length, whereas matchups might be longer.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Details

If `scoringPeriodId` is the current week (the default), then actual scoring might be incomplete (see `projectedScore` argument).

Value

A dataframe (or list) with optimal rosters.

See Also

Other roster functions: [roster_score\(\)](#), [start_roster\(\)](#), [team_roster\(\)](#)

Examples

```
best_roster(leagueId = "42654852", scoringPeriodId = 1)
```

combine_history	<i>Combine league history with current season</i>
-----------------	---

Description

Runs a function `fun` twice, once with the `leagueHistory` set to `TRUE` and once set to `FALSE`. Combined the output of both runs into a single data frame.

Usage

```
combine_history(fun, ...)
```

Arguments

<code>fun</code>	A function with the <code>leagueHistory</code> argument.
<code>...</code>	Additional arguments passed to the function used in <code>fun</code> .

Value

A data frame of combined outputs.

Examples

```
combine_history(tidy_scores, leagueId = "252353")
```

draft_recap	<i>Fantasy draft history</i>
-------------	------------------------------

Description

Return the sequential result of a fantasy draft pick, whether snake or salary cap format.

Usage

```
draft_recap(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame(s) of draft picks.

See Also

Other league functions: [league_members\(\)](#), [league_messages\(\)](#), [league_standings\(\)](#), [league_status\(\)](#), [league_teams\(\)](#), [tidy_schedule\(\)](#), [transaction_counter\(\)](#)

Examples

```
draft_recap(leagueId = "42654852")
```

draft_settings	<i>League draft settings</i>
----------------	------------------------------

Description

The type, date, and pick order of a league draft.

Usage

```
draft_settings(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of league draft settings by season.

See Also

Other league settings functions: [acquisition_settings\(\)](#), [finance_settings\(\)](#), [league_info\(\)](#), [league_name\(\)](#), [league_size\(\)](#), [roster_settings\(\)](#), [schedule_settings\(\)](#), [scoring_settings\(\)](#), [trade_settings\(\)](#)

Examples

```
draft_settings(leagueId = "42654852")
```

espn_games	<i>List all fantasy games</i>
------------	-------------------------------

Description

List all fantasy games

Usage

```
espn_games()
```

Value

A tibble of fantasy games.

See Also

Other Game information: [ffl_info\(\)](#), [ffl_seasons\(\)](#)

Examples

```
espn_games()
```

ffl_id	<i>Get ESPN fantasy league ID</i>
--------	-----------------------------------

Description

Retrieve league ID from global options, as an input, or from a URL.

Usage

```
ffl_id(leagueId = getOption("fflr.leagueId"), overwrite = FALSE)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
overwrite	logical; If an <code>fflr.leagueId</code> option exists, should it be temporarily changed for your current session.

Details

Since many users request data from the same ESPN league when using this package, you can use this function to set, call, or extract the unique ESPN league ID. By default, this function uses `getOption("fflr.leagueId")` to look for a default league ID defined in your `options()`. If no such option exists, and one is provided to the `leagueId` argument, the option will be temporarily defined for your current session. If a URL starting with `http` is provided, the numeric league ID will be extracted, defined as the temporary option, and returned as a character string.

Value

A numeric `leagueId` as a character vector with length one.

Examples

```
options(fflr.leagueId = "42654852")
ffl_id()
ffl_id(
  leagueId = "https://fantasy.espn.com/football/team?leagueId=42654852",
  overwrite = TRUE
)
```

ffl_info	<i>Get fantasy football information</i>
----------	---

Description

Information on the current fantasy football season, with functions to quickly access and modify certain information (like the current seasonId or scoringPeriodId).

Usage

```
ffl_info()
```

```
ffl_year(offset = 0)
```

```
ffl_week(offset = 0)
```

Arguments

offset Add negative or positive values.

Value

A list of season information.

See Also

Other Game information: [espn_games\(\)](#), [ffl_seasons\(\)](#)

Examples

```
str(ffl_info())  
Sys.time()  
ffl_year()  
ffl_week(-1)
```

ffl_seasons	<i>List past fantasy football seasons</i>
-------------	---

Description

List past fantasy football seasons

Usage

```
ffl_seasons()
```

Value

A tibble of fantasy football seasons.

See Also

Other Game information: [espn_games\(\)](#), [fpl_info\(\)](#)

Examples

```
fpl_seasons()
```

finance_settings	<i>League finance settings</i>
------------------	--------------------------------

Description

The off-site fees assigned to various roster moves and transactions.

Usage

```
finance_settings(leagueId = fpl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fplr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of finance settings by season.

See Also

Other league settings functions: [acquisition_settings\(\)](#), [draft_settings\(\)](#), [league_info\(\)](#), [league_name\(\)](#), [league_size\(\)](#), [roster_settings\(\)](#), [schedule_settings\(\)](#), [scoring_settings\(\)](#), [trade_settings\(\)](#)

Examples

```
finance_settings(leagueId = "42654852")
```

league_info	<i>League information</i>
-------------	---------------------------

Description

Basic information on a ESPN fantasy football league, like the name, size, and season length.

Usage

```
league_info(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of league information by season.

See Also

Other league settings functions: [acquisition_settings\(\)](#), [draft_settings\(\)](#), [finance_settings\(\)](#), [league_name\(\)](#), [league_size\(\)](#), [roster_settings\(\)](#), [schedule_settings\(\)](#), [scoring_settings\(\)](#), [trade_settings\(\)](#)

Examples

```
league_info(leagueId = "42654852")
```

league_members	<i>Fantasy league teams</i>
----------------	-----------------------------

Description

The teams in a league and their owners.

Usage

```
league_members(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A dataframe (or list) with league members.

See Also

Other league functions: `draft_recap()`, `league_messages()`, `league_standings()`, `league_status()`, `league_teams()`, `tidy_schedule()`, `transaction_counter()`

Examples

```
league_members(leagueId = "42654852")
```

league_messages	<i>Fantasy league teams</i>
-----------------	-----------------------------

Description

The emails, chats, notes, and messages sent by league members.

Usage

```
league_messages(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A tibble of messages.

See Also

Other league functions: [draft_recap\(\)](#), [league_members\(\)](#), [league_standings\(\)](#), [league_status\(\)](#), [league_teams\(\)](#), [tidy_schedule\(\)](#), [transaction_counter\(\)](#)

Examples

```
league_messages(leagueId = "42654852")
```

league_name	<i>League name</i>
-------------	--------------------

Description

League name

Usage

```
league_name(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A character vector.

See Also

Other league settings functions: [acquisition_settings\(\)](#), [draft_settings\(\)](#), [finance_settings\(\)](#), [league_info\(\)](#), [league_size\(\)](#), [roster_settings\(\)](#), [schedule_settings\(\)](#), [scoring_settings\(\)](#), [trade_settings\(\)](#)

Examples

```
league_name(leagueId = "42654852")
```

league_simulation	<i>League standing simulation</i>
-------------------	-----------------------------------

Description

The ESPN algorithm simulates the entire season according to the projection and matchup schedule to calculate the probability of a team winning their division and making the playoffs.

Usage

```
league_simulation(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of simulated team standings.

Examples

```
league_simulation(leagueId = "42654852")
```

league_size	<i>League size</i>
-------------	--------------------

Description

League size

Usage

```
league_size(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of league size by season.

See Also

Other league settings functions: [acquisition_settings\(\)](#), [draft_settings\(\)](#), [finance_settings\(\)](#), [league_info\(\)](#), [league_name\(\)](#), [roster_settings\(\)](#), [schedule_settings\(\)](#), [scoring_settings\(\)](#), [trade_settings\(\)](#)

Examples

```
league_size(leagueId = "42654852")
```

league_standings	<i>League standings</i>
------------------	-------------------------

Description

Return the current and projected standings, win streak, total wins, losses, and points scored for and against each team.

Usage

```
league_standings(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of team standings.

See Also

Other league functions: [draft_recap\(\)](#), [league_members\(\)](#), [league_messages\(\)](#), [league_status\(\)](#), [league_teams\(\)](#), [tidy_schedule\(\)](#), [transaction_counter\(\)](#)

Examples

```
league_standings(leagueId = "42654852")
```

league_status	<i>League status</i>
---------------	----------------------

Description

Current information about a league: the date activated, current week, starting week, final week, past seasons, teams joined, and waiver status.

Usage

```
league_status(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of league status by season.

See Also

Other league functions: [draft_recap\(\)](#), [league_members\(\)](#), [league_messages\(\)](#), [league_standings\(\)](#), [league_teams\(\)](#), [tidy_schedule\(\)](#), [transaction_counter\(\)](#)

Examples

```
league_status(leagueId = "42654852")
```

league_teams	<i>Fantasy league teams</i>
--------------	-----------------------------

Description

The teams in a league and their owners.

Usage

```
league_teams(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Details

If any team has multiple owners, the `memberId` column will be a list of unique owner member ID strings per team (see [league_members\(\)](#)).

Value

A dataframe (or list) with league teams.

See Also

Other league functions: [draft_recap\(\)](#), [league_members\(\)](#), [league_messages\(\)](#), [league_standings\(\)](#), [league_status\(\)](#), [tidy_schedule\(\)](#), [transaction_counter\(\)](#)

Examples

```
league_teams(leagueId = "42654852")
```

list_players	<i>Find fantasy players</i>
--------------	-----------------------------

Description

Filter fantasy players by their position, availability, professional team, and/or injury status. Sort and limit the responses in the same way as is done in the ESPN Fantasy Football website.

Usage

```
list_players(
  leagueId = ffl_id(),
  sort = "ROST",
  position = NULL,
  status = "AVAILABLE",
  injured = NULL,
  proTeam = NULL,
  scoreType = c("STANDARD", "PPR"),
  limit = 50
)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
sort	The column from which to sort the data. Options match those on the ESPN website: <ul style="list-style-type: none"> • "PLAYER" = Alphabetical by player name • "PROJ" = Projection is ESPN's projected fantasy score for a player's upcoming game. • "SCORE" = Actual score for <code>scoringPeriodId</code> • "OPRK" = Opponent Rank shows how a player's upcoming NFL opponent performs against that player's position. Low numbers mean it may be a tough opponent; high numbers an easier opponent. • "START" = Start Percentage shows the number of fantasy leagues a player is started in divided by the number of leagues he is eligible in. This helps indicate how the public views a player. • "ROST" = Rostered Percentage shows the number of fantasy leagues in which a player is on a roster divided by the total number of fantasy leagues. This helps indicate how the public views a player. • "CHANGE" = Plus/Minus shows the change in %ROST over the last week. This will help show which players are hot and cold at a given moment. • "PRK" = Position Rank shows how a player stacks up against other players at his position. No. 1 is best. • "FPTS" = Total fantasy points scored thus far in the season.

	<ul style="list-style-type: none"> • "AVG" = Average fantasy points scored in each game started. • "LAST" = Last shows the player's fantasy score in his team's last game.
position	<p>Abbreviation of player positions to filter, NULL for all:</p> <ul style="list-style-type: none"> • "QB" = Quarterback • "RB" = Running Back • "WR" = Wide Receiver • "TE" = Tight End • "FLEX" = Running Backs, Wide Receivers and Tight Ends can be used in this position • "D/ST" = Defense and Special Teams • "K" = Kicker
status	<p>Availability status of player, one or more from:</p> <ul style="list-style-type: none"> • "ALL" • "AVAILABLE" (default) • "FREEAGENT" • "WAIVERS" • "ONTEAM"
injured	Whether to return only injured or healthy players. Use NULL (default) for all players, TRUE for injured players, and FALSE for healthy players.
proTeam	The abbreviation or ID of the professional team from which players should be returned. See <code>pro_teams()</code> for a list of all possible team abbreviations.
scoreType	The type of scoring used: "STANDARD" or "PPR."
limit	The limit of players to return. Use "" or NULL to return all. Defaults to 50, which is the default limit used by ESPN. Removing the limit can make the request take a long time.

Value

A data frame of players.

See Also

Other player functions: [all_players\(\)](#), [player_info\(\)](#), [player_news\(\)](#), [player_outlook\(\)](#), [recent_activity\(\)](#), [transaction_counter\(\)](#)

Examples

```
list_players("42654852", proTeam = "Mia", sort = "START", limit = 3)
```

live_scoring	<i>Live matchup scoreboard</i>
--------------	--------------------------------

Description

The current and projected score for each ongoing match.

Usage

```
live_scoring(leagueId = ffl_id(), yetToPlay = FALSE, bonusWin = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
yetToPlay	If TRUE, <code>pro_schedule()</code> and the "mRoster" view are called to determine how many starting players have <i>yet</i> to start playing.
bonusWin	If TRUE, a logical column <code>bonusWin</code> will be added containing TRUE values for teams who are projected to score in the top half of points this week. This is a way to project the "bonus win" optional setting added in 2022.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of scores by period.

See Also

Other scoring functions: `tidy_scores()`

Examples

```
live_scoring(leagueId = "42654852", yetToPlay = FALSE)
```

nfl_players	<i>2023 NFL Players</i>
-------------	-------------------------

Description

All available ESPN fantasy football players as of the 2023 season, week 1.

Usage

```
nfl_players
```

Format

A data frame with 1,102 rows and 11 variables:

playerId Unique ESPN player ID
firstName First name
lastName Last name
proTeam Professional NFL team
defaultPosition Position: QB, RB, WR, TE, D/ST
jersey Jersey number
weight Weight in integer pounds
height Height in integer inches
age Current age in integer year
dateOfBirth Date of birth
birthPlace Place of birth
debutYear Season debuted in league
draftSelection Overall pick number in the NFL draft ...

Source

<http://sports.core.api.espn.com/v2/sports/football/leagues/nfl/seasons/2023/athletes/>

nfl_schedule

2023 NFL Schedule

Description

The 2023 NFL season schedule by team, as of September 10th.

Usage

nfl_schedule

Format

A data frame with 544 rows and 6 variables:

seasonId Season year
scoringPeriodId Scoring period
matchupId Unique ID for professional matchup
proTeam Professional team abbreviation
opponent Professional team opponent
isHome Whether this is the home team
date Matchup start date and time ...

Source

https://fantasy.espn.com/apis/v3/games/ffl/seasons/2023?view=proTeamSchedules_wl

nfl_teams

2023 NFL Teams

Description

The 32 professional NFL teams as of the 2023 season.

Usage

nfl_teams

Format

A data frame with 33 rows and 6 columns:

proTeamId Unique team ID

abbrev Professional team abbreviation

location Professional team geographic location

name Professional team full nickname

byeWeek Bye week, no game played

conference NFL conference ...

Source

https://fantasy.espn.com/apis/v3/games/ffl/seasons/2023?view=proTeamSchedules_wl

opponent_ranks

NFL team performance against positions

Description

The average opposition team point differential by position.

Usage

opponent_ranks(leagueId = ffl_id())

Arguments

leagueId Numeric league ID or ESPN fantasy page URL. Defaults to `getOption("fflr.leagueId")`.
Function fails if no ID is found.

Value

A data frame of team performance against position.

Examples

```
opponent_ranks()
```

player_acquire	<i>Roster acquisition history</i>
----------------	-----------------------------------

Description

The date and method of each player's acquisition onto a fantasy roster.

Usage

```
player_acquire(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of roster players with acquisition method and date.

Examples

```
player_acquire(leagueId = "42654852")
```

player_info	<i>Individual player information</i>
-------------	--------------------------------------

Description

Individual player information

Usage

```
player_info(playerId)
```

Arguments

playerId A single player ID number.

Value

A list or row of a single player's information.

See Also

Other player functions: [all_players\(\)](#), [list_players\(\)](#), [player_news\(\)](#), [player_outlook\(\)](#), [recent_activity\(\)](#), [transaction_counter\(\)](#)

Examples

```
player_info(playerId = 15847)
```

player_news	<i>Player news</i>
-------------	--------------------

Description

The free and premium ESPN stories on given players. A maximum of 50 stories can be returned at a time.

Usage

```
player_news(playerId, parseHTML = FALSE)
```

Arguments

playerId A single player ID number.
parseHTML Should HTML stories be parsed with [xml2::read_html\(\)](#)?

Value

A data frame of news stories.

See Also

Other player functions: [all_players\(\)](#), [list_players\(\)](#), [player_info\(\)](#), [player_outlook\(\)](#), [recent_activity\(\)](#), [transaction_counter\(\)](#)

Examples

```
player_news(playerId = "15847")
```

player_outlook	<i>Player outlooks</i>
----------------	------------------------

Description

All available weekly ESPN outlook writeups for NFL players.

Usage

```
player_outlook(leagueId = ffl_id(), limit = 50)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
limit	The limit of players to return. Use "" or NULL to return all. Defaults to 50, which is the default limit used by ESPN. Removing the limit can make the request take a long time.

Value

A data frame of player outlooks by scoring period.

See Also

Other player functions: [all_players\(\)](#), [list_players\(\)](#), [player_info\(\)](#), [player_news\(\)](#), [recent_activity\(\)](#), [transaction_counter\(\)](#)

Examples

```
player_outlook()
```

pro_events	<i>Professional games</i>
------------	---------------------------

Description

Data on the status of NFL games, including scores and odds, kickoff time, and broadcast information.

Usage

```
pro_events()
```

Value

A data frame of NFL events.

See Also

Other professional football functions: [pro_schedule\(\)](#)

Examples

```
pro_events()
```

pro_schedule	<i>Professional schedule</i>
--------------	------------------------------

Description

The opponents each team faces every week in a regular season.

Usage

```
pro_schedule(seasonId = ffl_year())
```

Arguments

seasonId Season schedule (2004-present), defaults to [ffl_year\(\)](#).

Value

Data frame of team opponents by week.

See Also

Other professional football functions: [pro_events\(\)](#)

Examples

```
pro_schedule(seasonId = ffl_year(-2))
```

pro_scores	<i>Professional scores</i>
------------	----------------------------

Description

The tidy data frame of scores by team.

Usage

```
pro_scores()
```

Value

A data frame of NFL scores.

Examples

```
pro_scores()
```

recent_activity	<i>Roster moves</i>
-----------------	---------------------

Description

The individual proposed and executed transactions, trades, and waiver moves.

Usage

```
recent_activity(  
  leagueId = ffl_id(),  
  leagueHistory = FALSE,  
  scoringPeriodId = NULL,  
  ...  
)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
scoringPeriodId	Integer week of NFL season. By default, NULL will use the current week (see <code>ffl_week()</code>). Scoring periods are always one week in length, whereas matchups might be longer.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Details

As of November 2021, activity data related to trades coming from the API is flawed. The `items` list column containing the players involved in a trade will only contain data for *rejected* trades (with an `executionType` of "CANCEL"). For accepted and upheld trades, that `items` element is NULL or an empty list. This flaw comes from the API itself, not processing done by this package.

Value

A data frame of transactions and roster moves.

See Also

Other player functions: `all_players()`, `list_players()`, `player_info()`, `player_news()`, `player_outlook()`, `transaction_counter()`

Examples

```
recent_activity(leagueId = "42654852", scoringPeriodId = 2)
```

roster_score	<i>Sum of starting scores in a roster</i>
--------------	---

Description

For a given roster tibble, sum the starting scores.

Usage

```
roster_score(roster, useScore = c("actualScore", "projectedScore"))
```

Arguments

roster	A roster data frame from <code>team_roster()</code> .
useScore	One of "projectedScore" or "actualScore" (default).

Value

A starting score as double.

See Also

Other roster functions: [best_roster\(\)](#), [start_roster\(\)](#), [team_roster\(\)](#)

Examples

```
roster_score(team_roster(leagueId = "42654852"))[[1]]
```

roster_settings	<i>League roster settings</i>
-----------------	-------------------------------

Description

The number of players and positions on a fantasy football roster.

Usage

```
roster_settings(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of league roster settings by season.

See Also

Other league settings functions: [acquisition_settings\(\)](#), [draft_settings\(\)](#), [finance_settings\(\)](#), [league_info\(\)](#), [league_name\(\)](#), [league_size\(\)](#), [schedule_settings\(\)](#), [scoring_settings\(\)](#), [trade_settings\(\)](#)

Examples

```
roster_settings(leagueId = "42654852")
```

schedule_settings *League schedule settings*

Description

The length of a fantasy season and the match periods for each week.

Usage

```
schedule_settings(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of league schedule settings by season.

See Also

Other league settings functions: [acquisition_settings\(\)](#), [draft_settings\(\)](#), [finance_settings\(\)](#), [league_info\(\)](#), [league_name\(\)](#), [league_size\(\)](#), [roster_settings\(\)](#), [scoring_settings\(\)](#), [trade_settings\(\)](#)

Examples

```
schedule_settings(leagueId = "42654852")
```

scoring_settings *League scoring settings*

Description

The scoring system used and points awarded for various actions.

Usage

```
scoring_settings(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of league scoring settings by season.

See Also

Other league settings functions: [acquisition_settings\(\)](#), [draft_settings\(\)](#), [finance_settings\(\)](#), [league_info\(\)](#), [league_name\(\)](#), [league_size\(\)](#), [roster_settings\(\)](#), [schedule_settings\(\)](#), [trade_settings\(\)](#)

Examples

```
scoring_settings(leagueId = "42654852")
```

start_roster	<i>Starting roster</i>
--------------	------------------------

Description

The starting 9 man roster using standard roster slots. In the future this function may be adapted to take roster slots from [roster_settings\(\)](#).

Usage

```
start_roster(roster)
```

Arguments

roster	A roster data frame from team_roster() .
--------	--

Value

A data frame of starters on a roster.

See Also

Other roster functions: [best_roster\(\)](#), [roster_score\(\)](#), [team_roster\(\)](#)

Examples

```
start_roster(team_roster(leagueId = "42654852")[[1]])
```

stat_corrections	<i>Stat corrections</i>
------------------	-------------------------

Description

Weekly retroactive stat corrections by player.

Usage

```
stat_corrections(date = Sys.Date(), limit = 100)
```

Arguments

date	A date in the scoring week to return. Defaults to system date.
limit	The limit of corrections to return. Use "" or NULL to return all. Defaults to 100, which is the default limit used by ESPN. Removing the limit can make the request take a long time.

Value

A data frame of stat corrections.

team_abbrev	<i>Convert team ID to abbreviation</i>
-------------	--

Description

Convert team ID to abbreviation

Usage

```
team_abbrev(teamId, teams = league_teams(leagueId = nfl_id()))
```

Arguments

teamId	A integer vector of team numbers to convert.
teams	A table of teams, like that from league_teams() .

Value

A factor vector of team abbreviations.

Examples

```
team_abbrev(teamId = 2, teams = league_teams(leagueId = "42654852"))
```

team_roster	<i>Fantasy team rosters</i>
-------------	-----------------------------

Description

The roster of all teams in a league.

Usage

```
team_roster(  
  leagueId = ffl_id(),  
  leagueHistory = FALSE,  
  scoringPeriodId = NULL,  
  ...  
)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the <code>leagueHistory</code> version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
scoringPeriodId	Integer week of NFL season. By default, NULL will use the current week (see ffl_week()). Scoring periods are always one week in length, whereas matchups might be longer.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A dataframe (or list) with league teams.

See Also

Other roster functions: [best_roster\(\)](#), [roster_score\(\)](#), [start_roster\(\)](#)

Examples

```
team_roster(leagueId = "42654852", scoringPeriodId = 1)
```

tidy_schedule	<i>Fantasy match schedule</i>
---------------	-------------------------------

Description

The opponents each team faces every week in a fantasy regular season. Returned in a tidy format where each row is a single team with an indication of home-away status. There are two rows per matchup, one for each team.

Usage

```
tidy_schedule(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

```
tidy_matchups(...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the <code>leagueHistory</code> version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame(s) of match opponents.

See Also

Other league functions: [draft_recap\(\)](#), [league_members\(\)](#), [league_messages\(\)](#), [league_standings\(\)](#), [league_status\(\)](#), [league_teams\(\)](#), [transaction_counter\(\)](#)

Examples

```
tidy_schedule(leagueId = "42654852")
```

tidy_scores	<i>Fantasy matchup scores</i>
-------------	-------------------------------

Description

The score of each team in a matchup or scoring period and the match outcome.

Usage

```
tidy_scores(leagueId = ffl_id(), leagueHistory = FALSE, useMatchup = TRUE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the <code>leagueHistory</code> version of the API be called? If <code>TRUE</code> , a list of results is returned, with one element for each historical year of the league.
useMatchup	logical; Whether scoring should be summarized by <code>matchupPeriodId</code> (default) or <code>scoringPeriodId</code> . The later always relates to a single week of the NFL season, while fantasy matchups might span several scoring periods, especially in the playoffs.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside <code>view</code> .

Details

`expectedWins` are calculated by comparing a team score against all *other* scores for a given matchup period. This statistic expresses how a team would fair if the schedule was random. The highest scoring team is thus expected to earn 1 win and the lowest scoring team would expect to win 0 matchups.

Value

A tidy data frame of scores by team and matchup/scoring period.

See Also

Other scoring functions: [live_scoring\(\)](#)

Examples

```
tidy_scores(leagueId = "42654852", useMatchup = FALSE)
```

trade_settings	<i>League trade settings</i>
----------------	------------------------------

Description

The time each trade can stand, votes needed to veto, and season deadline.

Usage

```
trade_settings(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of league trade settings by season.

See Also

Other league settings functions: [acquisition_settings\(\)](#), [draft_settings\(\)](#), [finance_settings\(\)](#), [league_info\(\)](#), [league_name\(\)](#), [league_size\(\)](#), [roster_settings\(\)](#), [schedule_settings\(\)](#), [scoring_settings\(\)](#)

Examples

```
trade_settings(leagueId = "42654852")
```

transaction_counter	<i>League transactions</i>
---------------------	----------------------------

Description

Summary of transactions and roster changes made during a season by team.

Usage

```
transaction_counter(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

```
budget_summary(leagueId = ffl_id(), leagueHistory = FALSE, ...)
```

Arguments

leagueId	Numeric league ID or ESPN fantasy page URL. Defaults to <code>getOption("fflr.leagueId")</code> . Function fails if no ID is found.
leagueHistory	logical; Should the leagueHistory version of the API be called? If TRUE, a list of results is returned, with one element for each historical year of the league.
...	Additional queries passed to <code>httr::GET()</code> . Arguments are converted to a named list and passed to query alongside view.

Value

A data frame of transaction counts by team.

See Also

Other league functions: [draft_recap\(\)](#), [league_members\(\)](#), [league_messages\(\)](#), [league_standings\(\)](#), [league_status\(\)](#), [league_teams\(\)](#), [tidy_schedule\(\)](#)

Other player functions: [all_players\(\)](#), [list_players\(\)](#), [player_info\(\)](#), [player_news\(\)](#), [player_outlook\(\)](#), [recent_activity\(\)](#)

Examples

```
transaction_counter(leagueId = "42654852")
```

Index

- * **Game information**
 - espn_games, 7
 - ffl_info, 9
 - ffl_seasons, 9
- * **datasets**
 - nfl_players, 20
 - nfl_schedule, 21
 - nfl_teams, 22
- * **league functions**
 - draft_recap, 6
 - league_members, 11
 - league_messages, 12
 - league_standings, 15
 - league_status, 16
 - league_teams, 17
 - tidy_schedule, 34
 - transaction_counter, 36
- * **league settings functions**
 - acquisition_settings, 3
 - draft_settings, 6
 - finance_settings, 10
 - league_info, 11
 - league_name, 13
 - league_size, 14
 - roster_settings, 29
 - schedule_settings, 30
 - scoring_settings, 30
 - trade_settings, 36
- * **player functions**
 - all_players, 3
 - list_players, 18
 - player_info, 24
 - player_news, 24
 - player_outlook, 25
 - recent_activity, 27
 - transaction_counter, 36
- * **professional football functions**
 - pro_events, 26
 - pro_schedule, 26
- * **roster functions**
 - best_roster, 4
 - roster_score, 28
 - start_roster, 31
 - team_roster, 33
- * **scoring functions**
 - live_scoring, 20
 - tidy_scores, 35
- acquisition_settings, 3, 7, 10, 11, 13, 15, 29–31, 36
- all_players, 3, 19, 24, 25, 28, 37
- best_roster, 4, 29, 31, 33
- budget_summary(transaction_counter), 36
- combine_history, 5
- draft_recap, 6, 12, 13, 16, 17, 34, 37
- draft_settings, 3, 6, 10, 11, 13, 15, 29–31, 36
- espn_games, 7, 9, 10
- ffl_id, 8
- ffl_info, 7, 9, 10
- ffl_seasons, 7, 9, 9
- ffl_week(ffl_info), 9
- ffl_week(), 4, 28, 33
- ffl_year(ffl_info), 9
- ffl_year(), 26
- finance_settings, 3, 7, 10, 11, 13, 15, 29–31, 36
- httr::GET(), 3, 4, 6, 7, 10–17, 20, 23, 28–31, 33–37
- league_info, 3, 7, 10, 11, 13, 15, 29–31, 36
- league_members, 6, 11, 13, 16, 17, 34, 37
- league_members(), 17
- league_messages, 6, 12, 12, 16, 17, 34, 37

league_name, 3, 7, 10, 11, 13, 15, 29–31, 36
league_simulation, 14
league_size, 3, 7, 10, 11, 13, 14, 29–31, 36
league_standings, 6, 12, 13, 15, 16, 17, 34, 37
league_status, 6, 12, 13, 16, 16, 17, 34, 37
league_teams, 6, 12, 13, 16, 17, 34, 37
league_teams(), 32
list_players, 4, 18, 24, 25, 28, 37
list_players(), 3, 4
live_scoring, 20, 35

nfl_players, 20
nfl_schedule, 21
nfl_teams, 22

opponent_ranks, 22

player_acquire, 23
player_info, 4, 19, 24, 25, 28, 37
player_news, 4, 19, 24, 24, 25, 28, 37
player_outlook, 4, 19, 24, 25, 25, 28, 37
pro_events, 26, 26
pro_schedule, 26, 26
pro_schedule(), 20
pro_scores, 27

recent_activity, 4, 19, 24, 25, 27, 37
roster_score, 5, 28, 31, 33
roster_settings, 3, 7, 10, 11, 13, 15, 29, 30, 31, 36
roster_settings(), 31

schedule_settings, 3, 7, 10, 11, 13, 15, 29, 30, 31, 36
scoring_settings, 3, 7, 10, 11, 13, 15, 29, 30, 30, 36
start_roster, 5, 29, 31, 33
stat_corrections, 32

team_abbrev, 32
team_roster, 5, 29, 31, 33
team_roster(), 28, 31
tidy_matchups(tidy_schedule), 34
tidy_schedule, 6, 12, 13, 16, 17, 34, 37
tidy_scores, 20, 35
trade_settings, 3, 7, 10, 11, 13, 15, 29–31, 36
transaction_counter, 4, 6, 12, 13, 16, 17, 19, 24, 25, 28, 34, 36

xml2::read_html(), 24