

Package ‘normaliseR’

February 29, 2024

Type Package

Title Re-Scale Vectors and Time-Series Features

Version 0.1.2

Date 2024-02-28

Maintainer Trent Henderson <then6675@uni.sydney.edu.au>

Description Provides standardized access to a range of re-scaling methods for numerical vectors and time-series features calculated within the ‘theft’ ecosystem.

BugReports <https://github.com/hendersontrent/normaliseR/issues>

License MIT + file LICENSE

Encoding UTF-8

Depends R (>= 3.5.0)

Imports rlang, stats, dplyr, scales

Suggests knitr, markdown, rmarkdown, pkgdown, testthat (>= 3.0.0)

RoxygenNote 7.2.2

VignetteBuilder knitr

Config/testthat/edition 3

URL <https://hendersontrent.github.io/normaliseR/>

NeedsCompilation no

Author Trent Henderson [cre, aut]

Repository CRAN

Date/Publication 2024-02-29 11:50:02 UTC

R topics documented:

maxabs_scaler	2
minmax_scaler	2
normalise	3
normaliseR	4
robustsigmoid_scaler	4
sigmoid_scaler	5
zscore_scaler	5

Index**6**

maxabs_scaler	<i>Rescales a numeric vector using maximum absolute scaling</i>
---------------	---

Description

$$z_i = \frac{x_i}{\max(\mathbf{x})}$$

Usage

```
maxabs_scaler(x)
```

Arguments

x numeric vector

Value

numeric vector

Author(s)

Trent Henderson

minmax_scaler	<i>Rescales a numeric vector into the unit interval [0,1]</i>
---------------	---

Description

$$z_i = \frac{x_i - \min(\mathbf{x})}{\max(\mathbf{x}) - \min(\mathbf{x})}$$

Usage

```
minmax_scaler(x)
```

Arguments

x numeric vector

Value

numeric vector

Author(s)

Trent Henderson

normalise	<i>Scale each feature vector into a user-specified range for visualisation and modelling</i>
-----------	--

Description

'normalise()' and 'normalize()' are synonyms.

Usage

```
normalise(  
  data,  
  norm_method = c("zScore", "Sigmoid", "RobustSigmoid", "MinMax", "MaxAbs"),  
  unit_int = FALSE  
)
```

```
normalize(  
  data,  
  norm_method = c("zScore", "Sigmoid", "RobustSigmoid", "MinMax", "MaxAbs"),  
  unit_int = FALSE  
)
```

Arguments

data	either a feature_calculations object containing the raw feature matrix produced by theft::calculate_features or a vector of class numeric containing values to be rescaled
norm_method	character denoting the rescaling/normalising method to apply. Can be one of "zScore", "Sigmoid", "RobustSigmoid", "MinMax", or "MaxAbs". Defaults to "zScore"
unit_int	Boolean whether to rescale into unit interval $[0, 1]$ after applying normalisation method. Defaults to FALSE

Value

either an object of class feature_calculations object or a numeric vector depending on the data type supplied to data

Author(s)

Trent Henderson

 normaliseR

Re-Scale Vectors and Time-Series Features

Description

Re-scale Vectors and Time-Series Features

 robustsigmoid_scaler

Rescales a numeric vector using an outlier-robust Sigmoidal transformation

Description

$$z_i = \left[1 + \exp \left(-\frac{x_i - \text{median}(\mathbf{x})}{\text{IQR}(\mathbf{x})/1.35} \right) \right]^{-1}$$

Usage

```
robustsigmoid_scaler(x)
```

Arguments

x numeric vector

Value

numeric vector

Author(s)

Trent Henderson

References

Fulcher, Ben D., Little, Max A., and Jones, Nick S. Highly Comparative Time-Series Analysis: The Empirical Structure of Time Series and Their Methods. *Journal of The Royal Society Interface* 10(83), (2013).

sigmoid_scaler	<i>Rescales a numeric vector using a Sigmoidal transformation</i>
----------------	---

Description

$$z_i = [1 + \exp(-\frac{x_i - \mu}{\sigma})]^{-1}$$

Usage

```
sigmoid_scaler(x)
```

Arguments

x numeric vector

Value

numeric vector

Author(s)

Trent Henderson

zscore_scaler	<i>Rescales a numeric vector into z-scores</i>
---------------	--

Description

$$z_i = \frac{x_i - \mu}{\sigma}$$

Usage

```
zscore_scaler(x)
```

Arguments

x numeric vector

Value

numeric vector

Author(s)

Trent Henderson

Index

`maxabs_scaler`, [2](#)

`minmax_scaler`, [2](#)

`normalise`, [3](#)

`normaliseR`, [4](#)

`normaliseR`-package (`normaliseR`), [4](#)

`normalize` (`normalise`), [3](#)

`robustsigmoid_scaler`, [4](#)

`sigmoid_scaler`, [5](#)

`zscore_scaler`, [5](#)