

Package ‘admiral.test’

July 22, 2025

Type Package

Title Test Data for the 'admiral' Package

Version 0.7.0

Description A set of Study Data Tabulation Model (SDTM) datasets from the Clinical Data Interchange Standards Consortium (CDISC) pilot project used for testing and developing Analysis Data Model (ADaM) derivations inside the 'admiral' package.

Language en-US

License Apache License (>= 2.0)

Depends R (>= 3.5.0)

Encoding UTF-8

LazyData true

RoxygenNote 7.2.3

Suggests devtools, lintr, pkgdown, testthat, knitr, rmarkdown, roxygen2, spelling, usethis, covr

NeedsCompilation no

Author Ben Straub [aut, cre],
Stefan Bundfuss [aut],
Gordon Miller [aut],
Thomas Neitmann [aut],
Syed Mubasheer [aut],
Ross Farrugia [ctb],
Shan Lee [ctb],
Gopi Vegesna [ctb],
Sophie Shapcott [ctb],
Mahdi About [ctb],
Antonio Rodríguez [ctb],
Claudia Carlucci [ctb],
Annie Yang [ctb],
Tamara Senior [ctb],
F. Hoffmann-La Roche AG [cph, fnd],
GlaxoSmithKline LLC [cph, fnd],
Clinical Data Interchange Standards Consortium [cph]

Maintainer Ben Straub <ben.x.straub@gsk.com>

Repository CRAN

Date/Publication 2023-09-10 15:30:04 UTC

Contents

admiral_ae	3
admiral_cm	3
admiral_dm	4
admiral_ds	4
admiral_eg	5
admiral_ex	5
admiral_lb	6
admiral_mh	6
admiral_oe	7
admiral_pc	7
admiral_pp	8
admiral_qs	8
admiral_rs	9
admiral_sc	9
admiral_sdg_db	10
admiral_smq_db	10
admiral_suppae	10
admiral_suppdm	11
admiral_suppds	11
admiral_supptr	12
admiral_sv	12
admiral_tr	13
admiral_ts	13
admiral_tu	14
admiral_vs	14
get_terms	15
raw_ae	15
raw_ds	16
raw_lb	16
raw_mh	17
raw_qs	17
raw_suppds	18

Index

19

`admiral_ae`*Adverse Events Dataset-updated*

Description

An updated SDTM AE dataset that uses the CDISC pilot project

Usage

```
admiral_ae
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1191 rows and 36 columns.

Source

https://github.com/pharmaverse/admiral.test/blob/main/data/admiral_ae.rda

`admiral_cm`*Concomitant Medication Dataset*

Description

A SDTM CM dataset from the CDISC pilot project

Usage

```
admiral_cm
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 7510 rows and 21 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/cm.xpt?raw=true#nolint>

admiral_dm	<i>Demography Dataset</i>
------------	---------------------------

Description

A SDTM DM dataset from the CDISC pilot project

Usage

```
admiral_dm
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 306 rows and 25 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/dm.xpt?raw=true> # nolint

admiral_ds	<i>Disposition Dataset-updated</i>
------------	------------------------------------

Description

An updated SDTM DS dataset that uses the CDISC pilot project

Usage

```
admiral_ds
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 850 rows and 13 columns.

Author(s)

Gopi Vegesna

Source

https://github.com/pharmaverse/admiral.test/blob/main/data/admiral_ds.rda

admiral_eg	<i>Electrocardiogram Dataset</i>
------------	----------------------------------

Description

An example of standard SDTM EG dataset to be used in deriving ADEG dataset

Usage

admiral_eg

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 26669 rows and 24 columns.

admiral_ex	<i>Exposure Dataset</i>
------------	-------------------------

Description

A SDTM EX dataset from the CDISC pilot project

Usage

admiral_ex

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 591 rows and 17 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/ex.xpt?raw=true> # nolint

admiral_lb	<i>Laboratory Measurements Dataset</i>
------------	--

Description

An updated SDTM LB dataset that uses data from the CDISC pilot project

Usage

admiral_lb

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 59580 rows and 23 columns.

Author(s)

Annie Yang

Source

https://github.com/pharmaverse/admiral.test/blob/main/data/admiral_lb.rda

admiral_mh	<i>Medical History Dataset-updated</i>
------------	--

Description

An updated SDTM MH dataset that uses data from the CDISC pilot project

Usage

admiral_mh

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1818 rows and 28 columns.

Author(s)

Annie Yang

Source

[# nolint](https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/mh.xpt?raw=true)

`admiral_oe`*Ophthalmic Examinations Dataset*

Description

A SDTM OE dataset simulated by Ophthalmology team

Usage`admiral_oe`**Format**

An object of class `grouped_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 15344 rows and 25 columns.

Author(s)

Gordon Miller

`admiral_pc`*Pharmacokinetics Concentrations Dataset*

Description

A SDTM PC dataset simulated by Antonio Rodríguez Contestí

Usage`admiral_pc`**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3556 rows and 20 columns.

Author(s)

Antonio Rodríguez Contestí

Source

https://github.com/pharmaverse/admiral.test/blob/main/data/admiral_pc.rda

admiral_pp

Pharmacokinetic Parameters Dataset

Description

A SDTM PP dataset simulated by Antonio Rodríguez Contestí

Usage

admiral_pp

Format

An object of class `data.frame` with 2346 rows and 14 columns.

Author(s)

Antonio Rodríguez Contestí

Source

https://github.com/pharmaverse/admiral.test/blob/main/data/admiral_pp.rda

admiral_qs

Questionnaire Dataset

Description

A SDTM QS dataset from the CDISC pilot project & Ophthalmology test data

Usage

admiral_qs

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 202907 rows and 20 columns.

Source

https://github.com/pharmaverse/admiral.test/blob/main/data/admiral_qs.rda # nolint

`admiral_rs`*Disease Response Dataset*

Description

A SDTM RS dataset simulated by Gopi Vegesna

Usage`admiral_rs`**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 5808 rows and 19 columns.

Author(s)

Gopi Vegesna

`admiral_sc`*Subject Characteristic Dataset*

Description

A SDTM SC dataset simulated by Ophthalmology team

Usage`admiral_sc`**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 254 rows and 12 columns.

Author(s)

Gordon Miller

admiral_sdg_db	<i>SDG Dataset</i>
----------------	--------------------

Description

An example SDG dataset

Usage

```
admiral_sdg_db
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16 rows and 5 columns.

admiral_smq_db	<i>SMQ Dataset</i>
----------------	--------------------

Description

An example SMQ dataset

Usage

```
admiral_smq_db
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 44 rows and 6 columns.

admiral_suppae	<i>Supplemental Adverse Events Dataset</i>
----------------	--

Description

A SDTM SUPPAE dataset from the CDISC pilot project

Usage

```
admiral_suppae
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1191 rows and 10 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/suppae.xpt?raw=true> # nolint

admiral_suppdm

Supplemental Demography Dataset

Description

A SDTM SUPPDM dataset from the CDISC pilot project

Usage

admiral_suppdm

Format

An object of class tbl_df (inherits from tbl, data.frame) with 1197 rows and 10 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/suppdm.xpt?raw=true> # nolint

admiral_suppds

Supplemental Disposition Dataset-updated

Description

A SDTM SUPPDS dataset from the CDISC pilot project

Usage

admiral_suppds

Format

An object of class tbl_df (inherits from tbl, data.frame) with 3 rows and 9 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/suppds.xpt?raw=true> # nolint

admiral_supptr	<i>Supplemental Tumor Results Dataset</i>
----------------	---

Description

A SDTM SUPPTR dataset simulated by Gopi Vegesna

Usage

admiral_supptr

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 55995 rows and 9 columns.

Author(s)

Gopi Vegesna

admiral_sv	<i>Subject Visits Dataset</i>
------------	-------------------------------

Description

A SDTM SV dataset from the CDISC pilot project

Usage

admiral_sv

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3559 rows and 8 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/sv.xpt?raw=true> # nolint

`admiral_tr`*Tumor Results Dataset*

Description

A SDTM TR dataset simulated by Gopi Vegesna

Usage`admiral_tr`**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 55995 rows and 24 columns.

Author(s)

Gopi Vegesna

`admiral_ts`*Trial Design Dataset*

Description

A SDTM TS dataset from the CDISC pilot project

Usage`admiral_ts`**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 33 rows and 6 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/ts.xpt?raw=true> # nolint

`admiral_tu`*Tumor Identification Dataset*

Description

A SDTM TU dataset simulated by Gopi Vegesna

Usage`admiral_tu`**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 7734 rows and 18 columns.

Author(s)

Gopi Vegesna

`admiral_vs`*Vital Signs Dataset*

Description

A SDTM VS dataset from the CDISC pilot project

Usage`admiral_vs`**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 29643 rows and 24 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/vs.xpt?raw=true> # nolint

get_terms	<i>An example function as expected by the 'get_terms_fun' parameter of 'admiral::create_query_data()'</i>
-----------	---

Description

An example function as expected by the 'get_terms_fun' parameter of 'admiral::create_query_data()'

Usage

```
get_terms(basket_select, version, keep_id, temp_env)
```

Arguments

basket_select	A basket_select object defining the terms
version	MedDRA version
keep_id	Should 'GRPID' be included in the output?
temp_env	Temporary environment

raw_ae	<i>Adverse Events Dataset-raw</i>
--------	-----------------------------------

Description

A SDTM AE dataset from the CDISC pilot project

Usage

```
raw_ae
```

Format

An object of class tbl_df (inherits from tbl, data.frame) with 1191 rows and 35 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/ae.xpt?raw=true> # nolint

raw_ds	<i>Disposition Dataset-raw</i>
--------	--------------------------------

Description

A SDTM DS dataset from the CDISC pilot project

Usage

raw_ds

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 596 rows and 13 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/ds.xpt?raw=true> # nolint

raw_lb	<i>Laboratory Measurements Dataset</i>
--------	--

Description

A SDTM LB dataset from the CDISC pilot project

Usage

raw_lb

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 59580 rows and 23 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/lb.xpt?raw=true> # nolint

raw_mh	<i>Medical History Dataset-raw</i>
--------	------------------------------------

Description

A SDTM MH dataset from the CDISC pilot project

Usage

raw_mh

Format

An object of class tbl_df (inherits from tbl, data.frame) with 1818 rows and 19 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/mh.xpt?raw=true> # nolint

raw_qs	<i>Questionnaire Dataset</i>
--------	------------------------------

Description

A SDTM QS dataset from the CDISC pilot project

Usage

raw_qs

Format

An object of class tbl_df (inherits from tbl, data.frame) with 121749 rows and 20 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/qs.xpt?raw=true> # nolint

`raw_suppds`*Supplemental Disposition Dataset-raw*

Description

A SDTM SUPPDS dataset from the CDISC pilot project

Usage

```
raw_suppds
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3 rows and 10 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/suppds.xpt?raw=true> # nolint

Index

* datasets

admiral_ae, 3
admiral_cm, 3
admiral_dm, 4
admiral_ds, 4
admiral_eg, 5
admiral_ex, 5
admiral_lb, 6
admiral_mh, 6
admiral_oe, 7
admiral_pc, 7
admiral_pp, 8
admiral_qs, 8
admiral_rs, 9
admiral_sc, 9
admiral_sdg_db, 10
admiral_smq_db, 10
admiral_suppae, 10
admiral_suppdm, 11
admiral_suppds, 11
admiral_supptr, 12
admiral_sv, 12
admiral_tr, 13
admiral_ts, 13
admiral_tu, 14
admiral_vs, 14
raw_ae, 15
raw_ds, 16
raw_lb, 16
raw_mh, 17
raw_qs, 17
raw_suppds, 18

admiral_ae, 3
admiral_cm, 3
admiral_dm, 4
admiral_ds, 4
admiral_eg, 5
admiral_ex, 5
admiral_lb, 6

admiral_mh, 6
admiral_oe, 7
admiral_pc, 7
admiral_pp, 8
admiral_qs, 8
admiral_rs, 9
admiral_sc, 9
admiral_sdg_db, 10
admiral_smq_db, 10
admiral_suppae, 10
admiral_suppdm, 11
admiral_suppds, 11
admiral_supptr, 12
admiral_sv, 12
admiral_tr, 13
admiral_ts, 13
admiral_tu, 14
admiral_vs, 14

get_terms, 15

raw_ae, 15
raw_ds, 16
raw_lb, 16
raw_mh, 17
raw_qs, 17
raw_suppds, 18