

Avert's Condom Quiz - Easy Questions

1. What were the first condoms made of?

- a. Linen
- b. Fish skins
- c. Rubber

2. Where does latex come from?

- a. Fish
- b. Trees
- c. Oil

3. Do condoms provide total protection against all sexually transmitted diseases?

- a. No
- b. Yes

4. How many sizes of condoms are there?

- a. Regular and large
- b. Many different sizes
- c. One size fits all

5. Which of the following can pass through latex condoms?

- a. HIV
- b. Gonorrhoea
- c. Semen
- d. None of the above

6. If you are under the age of consent, you must have your parents permission to use condoms.

- a. False
- b. True

7. What are the best lubricants to use with latex condoms?

- a. Water based
- b. Oil based
- c. Both

8. Which is the most effective at preventing pregnancy, HIV and other sexually transmitted infections?

- a. Birth control pill
- b. Withdrawal method
- c. Condoms and lubricants

9. How often should male condoms be used?

- a. More than once if they're washed
- b. Only once
- c. More than once if it's with the same person

10. At what point during sexual intercourse should the condom be put on the penis?

- a. Before the penis is erect
- b. Just before the point of ejaculation to catch the semen
- c. Before there is any contact between the penis and your partner's body

Avert's Condom Quiz - Medium Questions

- 1. A female condom cannot be used at the same time as a male condom because...**
 - a. Friction may cause them to break
 - b. It is a man's responsibility to wear a condom during sex
 - c. It's bad luck to use two condoms

- 2. A male condom should be used only once but a female condom can be used several times..**
 - a. False
 - b. Both can be used several times
 - c. True

- 3. How effective are condoms at preventing pregnancy if used consistently and correctly?**
 - a. 50 percent
 - b. 100 percent
 - c. Nearly 50 percent
 - d. Nearly 100 percent

- 4. Why are some condoms 'ribbed'?**
 - a. Ribbed condoms are cheaper
 - b. Ribbed condoms can increase sensation for both partners
 - c. Ribbed condoms are used for oral sex only

- 5. What do spermicides protect against?**
 - a. Pregnancy
 - b. STDs
 - c. Pregnancy and STDs

Avert's Condom Quiz - Hard Questions

1. The FC and FC2 female condom can be inserted into the vagina up to how long before sexual intercourse?

- a. Up to 30 minutes
- b. Up to 4 hours
- c. Up to 8 hours

2. How many condoms were donated to developing countries around the world in 2005?

- a. 30 billion
- b. 1.8 billion
- c. 18.7 billion

3. Which feature of the VA w.o.w. Condom Feminine helps anchor it inside the vagina?

- a. Spermicide
- b. A round sponge inside the closed end of the condom
- c. Glue

4. In what percentage of acts of vaginal intercourse do condoms slip off the penis?

- a. 1 to 5 percent
- b. 20 to 25 percent
- c. 50 to 55 percent

5. In the US, the mark of which government agency shows that a condom has been quality approved?

- a. The Federal Development Agency
- b. The Fifth Department for Contraceptive Aid
- c. The Food and Drug Administration

Avert's Condom Quiz - Answers to Easy Questions

Question 1 - What were the first condoms made of?

- a. Linen

Question 2 - Where does latex come from?

- b. Trees

Question 3 - Do condoms provide total protection against all sexually transmitted diseases?

- a. No

Question 4 - How many sizes of condoms are there?

- b. Many different sizes

Question 5 - Which of the following can pass through latex condoms?

- d. None of the above

Question 6 - If you are under the age of consent, you must have your parents permission to use condoms.

- a. False

Question 7 - What are the best lubricants to use with latex condoms?

- a. Water based

Question 8 - Which is the most effective at preventing pregnancy, HIV and other sexually transmitted infections?

- c. Condoms and lubricants

Question 9 - How often should male condoms be used?

- b. Only once

Question 10 - At what point during sexual intercourse should the condom be put on the penis?

- c. Before there is any contact between the penis and your partner's body

Avert's Condom Quiz - Answers to Medium Questions

Question 1 - A female condom cannot be used at the same time as a male condom because...

- a. Friction may cause them to break

Question 2 - A male condom should be used only once but a female condom can be used several times..

- a. False

Question 3 - How effective are condoms at preventing pregnancy if used consistently and correctly?

- d. Nearly 100 percent

Question 4 - Why are some condoms 'ribbed'?

- b. Ribbed condoms can increase sensation for both partners

Question 5 - What do spermicides protect against?

- a. Pregnancy

Avert's Condom Quiz - Answers to Hard Questions

Question 1 - The FC and FC2 female condom can be inserted into the vagina up to how long before sexual intercourse?

c. Up to 8 hours

Question 2 - How many condoms were donated to developing countries around the world in 2005?

b. 1.8 billion

Question 3 - Which feature of the VA w.o.w. Condom Feminine helps anchor it inside the vagina?

b. A round sponge inside the closed end of the condom

Question 4 - In what percentage of acts of vaginal intercourse do condoms slip off the penis?

a. 1 to 5 percent

Question 5 - In the US, the mark of which government agency shows that a condom has been quality approved?

c. The Food and Drug Administration