1. What is the only method of HIV prevention currently available that women may have some control over?

- a. Microbicides
- b. Condoms
- c. The pill

2. In heterosexual sex, who is more likely to become infected with HIV from an HIV positive partner?

- a. The man
- b. The woman
- c. Both are at equal risk

3. Can someone who abstains from sex until marriage get HIV?

- a. No
- b. Yes
- c. Not if they stay faithful

4. Contraceptive pills are widely available for which people?

- a. Women
- b. Men
- c. Both men and women
- d. Gay people

5. At the end of 2007, how many women were living with HIV worldwide?

- a. 1.5 million
- b. 15.5 million
- c. 54 million

6. When was the first woman diagnosed with AIDS?

- a. 1979
- b. 1982
- c. 1991

7. HIV can be transmitted from mother to child through...

- a. Using the same toilet
- b. Delivery/breastfeeding
- c. Sharing food or drink

8. A lesbian can be infected with HIV.

- a. True
- b. False
- c. Only if she has sex with a man

9. In South Africa a teenage girl is...

- a. Five times more likely than a boy to be HIV positive
- b. Five times less likely than a boy to be HIV positive
- c. Just as likely as a boy to be HIV positive

10. What can the contraceptive pill protect a woman from?

- a. Pregnancy
- b. HIV
- c. Herpes

Avert's Women HIV & AIDS Quiz - Medium Questions

1. Why are poor women vulnerable to becoming infected with HIV?

- a. Poverty causes HIV
- b. Women cannot be treated for AIDS
- c. Poverty can cause women to engage in more risky behaviour such as commercial sex

2. Women represent what percentage of HIV positive people in the world?

- a. 20 percent
- b. 50 percent
- c. 70 percent

3. In the future, how might a microbicide gel help women protect themselves against HIV?

- a. By killing HIV inside the vagina without a partner knowing
- b. By stopping HIV developing in the body
- c. By reducing viral load

4. Globally, most women become infected with HIV through...

- a. Blood transfusions
- b. Unprotected heterosexual sex
- c. Sex with other women
- d. Sharing injecting equipment

5. If an HIV positive pregnant woman takes the correct drugs and doesn't breastfeed, how likely is her baby to be born with HIV?

- a. Less than 2 percent
- b. Around 15 percent
- c. Over 40 percent

- 1. Of all the people living with HIV in sub-Saharan Africa, what percentage are women?
 - a. Around 24 percent
 - b. Around 59 percent
 - c. Around 76 percent
- 2. Which of the following women founded a leading paediatric AIDS charity?
 - a. Elizabeth Taylor
 - b. Elizabeth Glaser
 - c. Queen Elizabeth II
- 3. Since the beginning of the HIV/AIDS epidemic, how many women in the USA have been diagnosed with AIDS?
 - a. Over 420,000
 - b. Over 189,000
 - c. Over 55,000
- 4. In 2006, what percentage of HIV positive pregnant women in poor countries received drugs to prevent HIV being passed on to their babies?
 - a. 72 percent
 - b. 23 percent
 - c. 49 percent
- 5. In what year did the female condom first become available in Europe?
 - a. 1982
 - b. 1992
 - c. 2002

Question 1 - What is the only method of HIV prevention currently available that women may have some control over?

b. Condoms

Question 2 - In heterosexual sex, who is more likely to become infected with HIV from an HIV positive partner?

b. The woman

Question 3 - Can someone who abstains from sex until marriage get HIV?

b. Yes

Question 4 - Contraceptive pills are widely available for which people?

a. Women

Question 5 - At the end of 2007, how many women were living with HIV worldwide?

b. 15.5 million

Question 6 - When was the first woman diagnosed with AIDS?

b. 1982

Question 7 - HIV can be transmitted from mother to child through...

b. Delivery/breastfeeding

Question 8 - A lesbian can be infected with HIV.

a. True

Question 9 - In South Africa a teenage girl is...

a. Five times more likely than a boy to be HIV positive

Question 10 - What can the contraceptive pill protect a woman from?

a. Pregnancy

Avert's Women HIV & AIDS Quiz - Answers to Medium Questions

Question 1 - Why are poor women vulnerable to becoming infected with HIV?

c. Poverty can cause women to engage in more risky behaviour such as commercial sex

Question 2 - Women represent what percentage of HIV positive people in the world?

b. 50 percent

Question 3 - In the future, how might a microbicide gel help women protect themselves against HIV?

a. By killing HIV inside the vagina without a partner knowing

Question 4 - Globally, most women become infected with HIV through...

b. Unprotected heterosexual sex

Question 5 - If an HIV positive pregnant woman takes the correct drugs and doesn't breastfeed, how likely is her baby to be born with HIV?

a. Less than 2 percent

Question 1 - Of all the people living with HIV in sub-Saharan Africa, what percentage are women?

b. Around 59 percent

Question 2 - Which of the following women founded a leading paediatric AIDS charity?

b. Elizabeth Glaser

Question 3 - Since the beginning of the HIV/AIDS epidemic, how many women in the USA have been diagnosed with AIDS?

b. Over 189,000

Question 4 - In 2006, what percentage of HIV positive pregnant women in poor countries received drugs to prevent HIV being passed on to their babies?

b. 23 percent

Question 5 - In what year did the female condom first become available in Europe?

b. 1992